

# List of referred publications

## 2006 list of publications in international scientific journals

- Ala-Ilomäki, J. The effect of weather conditions on the trafficability of unfrozen peatlands. *Forestry Studies* 45: 57-66.
- Alm Bergvall, U., Rautio, P., Kesti, K., Tuomi, J. & Leimar, J. Associational effects of plant defences in relation to within- and between-patch food choice by a mammalian herbivore: neighbour contrast susceptibility and defence. *Oecologia* 147(2): 253-260.
- Antal, S. & Puttonen, P. The effects of acid rain on anurans and the possibilities of protection in Hungary, focusing on the challenges of forest management. *North-Western Journal of Zoology* 2(1): 47-58.
- Aphalo, P.J., Lahti, M., Lehto, T., Repo, T., Rummukainen, A., Mannerkoski, H. & Finér, L. Responses of silver birch saplings to low soil temperature. *Silva Fennica* 40(3): 429-442.
- Aphalo, P. & Rikala, R. Spacing of silver birch seedlings grown in containers of equal size affects their morphology and its variability. *Tree Physiology* 26(9): 1227-1237
- Blain, D. et al. (useita johtokirjoittajia, Metlasta Alm, J). Wetlands. Julkaisussa: Eggleston, S., Buendia, L., Miwa, K., Ngara, T. & Tanabe, K. (eds.). 2006 IPCC Guidelines for National Greenhouse Gas Inventories. IPCC National Greenhouse Gas Inventories Programme. Intergovernmental Panel on Climate Change IPCC (WMO, UNEP). Institute of Global Environment and Society, IGES. 24 s. ([www.ipcc-nggip.iges.or.jp/public/2006gl/index.htm](http://www.ipcc-nggip.iges.or.jp/public/2006gl/index.htm)).
- Briceno-Elizondo, E., Garcia-Gonzalo, J., Peltola, H., Matala, J. & Kellomäki, S. Sensitivity of growth of Scots pine, Norway spruce and silver birch to climate change and forest management in boreal conditions. *Forest Ecology and Management* 232(1-3): 152-167.
- Cao, T., Hyytiäinen, K., Tahvonen, O. & Valsta, L. Effects of initial stand states on optimal thinning regime and rotation of *Picea abies* stands. *Scandinavian Journal of Forest Research* 21: 388-398.
- Cattadori, I.M., Haukisalmi, V., Henttonen, H. & Hudson, P.J. Transmission ecology and the structure of parasite communities in small mammals. Julkaisussa: Morand, S., Krasnov, B.R. & Poulin, R. (eds.). *Micromammals and macroparasites: from evolutionary ecology to management*. Springer. s. 349-370.
- Dai Y.C., Yuan, H.S., Wei, Y.L. & Korhonen, K. New records of *Heterobasidion parviporum* in China. *Forest Pathology* 36(4): 287-293.
- Dalén, L., Kvaløy, K., Linnell, J.D.C., Elmhagen, B., Strand, O., Tannerfeldt, M., Henttonen, H., Fuglei, E., Landa, A. & Angerbjörn, A. Population structure, genetic variation and dispersal in a critically endangered arctic fox population. *Molecular Ecology* 15: 2809-2819.
- Derome, J., Lindroos, A.-J. & Helmisaari, H.-S. Effects of sprinkling infiltration on soil acidity and fertility properties on a forested esker in Central Finland. Julkaisussa: Recharge systems for protecting and enhancing groundwater resources. Proceedings of the 5th International Symposium on Management of Aquifer Recharge, ISMAR5, Berlin, Germany, 11-16 June, 2005. UNESCO IHP-VI Series on Groundwater 13: 264-268.
- Dogmus-Lehtijärvi, H.T., Lehtijärvi, A. & Korhonen, K. *Heterobasidion abietinum* on *Abies* species in western Turkey. *Forest Pathology* 36(4): 280-286.
- Dolezal, J., Srutek, M., Hara, T., Sumida, A., & Penttilä, T. Neighborhood interactions influencing tree population dynamics in nonpyrogenous boreal forest in northern Finland. *Plant Ecology* 185(1): 135-150.
- Domisch, T., Finér, L., Laine, J. & Laiho, R. Decomposition and nitrogen dynamics of litter in peat soils from two climatic regions under different temperature regimes. *European Journal of Soil Biology* 42: 74-81.
- Domisch, T., Finér, L., Ohashi, M., Risch, A.C., Sundström, L., Niemelä, P. & Jurgensen, M.F. Contribution of red wood ant mounds to forest floor CO<sub>2</sub> efflux in boreal coniferous forests. *Soil Biology & Biochemistry* 38: 2425-2433.

- Eriksson, M., Lilja, S. & Roininen, H. Dead wood creation and restoration burning: Implications for bark beetles and beetle induced tree deaths. *Forest Ecology and Management* 231: 205-213.
- Gerasimov, Y. & Karjalainen, T. Development of wood procurement in Northwest Russia: round wood balance and unreported flows. *European Journal of Forest Research* 125: 189-199.
- Gregoire, T. & Lappi, J. Forestry, Statistics in. Julkaisussa: Kotz, S., Balakrishnan, N., Read, C.B. & Vidakovic, B. (eds.). *Encyclopedia of Statistical Sciences*, second edition, volume 4. Wiley, New York. s. 2447-2456.
- Gustavsson, L., Madlener, R., Hoen, H.-F., Jungmeier, G., Karjalainen, T., Klöhn, S., Mahapatra, K., Pohjola, J., Solberg, B. & Spelter, H. The role of wood material for greenhouse gas mitigation. *Mitigation and Adaptation Strategies for Global Change* 11: 1097-1127.
- Harju, A.M. & Venäläinen, M. Measuring the decay resistance of Scots pine heartwood indirectly by the Folin-Ciocalteu assay. *Canadian Journal of Forest Research* 36(7): 1797-1804.
- Haukisalml, V., Henttonen, H. & Hardman, L.M. Taxonomy, diversity and zoogeography of *Paranoplocephala* spp. (Cestoda: Anoplocephalidae) in voles and lemmings of Beringia, with a description of three new species. *Biological Journal of the Linnean Society* 89: 277-299.
- Heikkilä, J., Laitila, J., Tanttu, V., Lindblad, J., Sirén, M. & Asikainen, A. Harvesting alternatives and cost factors of delimbed energy wood. *Forestry Studies* 45: 49-56
- Heikkinen, J. Assessment of uncertainty in spatially systematic sampling. Julkaisussa: Kangas, A. & Maltamo, M. (eds.). *Forest inventory. Methodology and applications. Managing Forest Ecosystems. Vol 10.* Springer, Dordrecht. p. 155-176.
- Heiskanen, J. & Rikala, R. Root growth and nutrient uptake of Norway spruce container seedlings planted in mounded boreal forest soil. *Forest Ecology and Management* 222: 410-417.
- Helle, T. & Kojola, I. Population trends of semi-domesticated reindeer in Fennoscandia - Evaluation of explanations. Julkaisussa: Forbes, B.C., Bølter, M., Muller-Wille, L., Muller, F., Gunslay, N. & Konstantinov, Y. (eds.). *Reindeer management in northernmost Europe. Linking practical and scientific knowledge in social-ecological systems. Ecological Studies* 184: 319-339.
- Hellstedt, P. & Henttonen, H. The home ranges and habitat choice of male and female stoats (*Mustela erminea*) in the Finnish subarctic area. *Journal of Zoology* 269: 206-212.
- Hellstedt, P., Sundell, J., Helle, P. & Henttonen, H. Large-scale spatial and temporal patterns in population dynamics of the stoat, *Mustela erminea*, and the least weasel, *M. nivalis*, in Finland. *Oikos* 115: 286-298.
- Hellström, K., Huhta, A.-P., Rautio, P. & Tuomi, J. Search for optimal mowing regime - slow community change in a restoration trial in northern Finland. *Annales Botanici Fennici* 43: 338-348.
- Hellström, K., Kytöviita, M.-M., Tuomi, J. & Rautio, P. Plasticity of clonal integration in the perennial herb *Linaria vulgaris* after damage. *Functional Ecology* 20: 413-420.
- Helmisaari, H.-S., Derome, J., Hatva, T., Illmer, K., Kitunen, V., Lindroos, A.-J., Miettinen, I., Pääkkönen, J. & Reijonen, R. Artificial recharge in Finland through basin and sprinkling infiltration: soil processes, retention time and water quality. Julkaisussa: *Recharge systems for protecting and enhancing groundwater resources. Proceedings of the 5th International Symposium on Management of Aquifer Recharge, ISMAR5, Berlin, Germany, 11-16 June, 2005. UNESCO IHP-VI Series on Groundwater* 13: 280-285.
- Heräjärvi, H. & Junkkonen, R. Wood density and growth rate of European and hybrid aspen in southern Finland. *Baltic Forestry* 12(1): 2-8.
- Heräjärvi, H. Static bending and swelling properties of strand-made beams of *Pinus sylvestris* and *Betula* sp. Julkaisussa: Morlier, P., Morais, J. & Dourado, N. (eds.). *Proceedings of the third International Conference of the European Society for Wood Mechanics (ESWM), 5-8 September 2004. UTAD, Vila Real.* s. 3-10.
- Holder, B., Saarikko, J. & Voshmgir, D. *Global Forest Decimal Classification (GFDC). IUFRO World Series* 19. 338 s.

- Holopainen, J., Helama, S. & Timonen, M. Plant phenological data and tree-rings as palaeoclimate indicators in south-west Finland since AD 1750. *International Journal of Biometeorology* 51: 61-72.
- Horne, P. Forest owners' acceptance of incentive based policy instruments in forest biodiversity conservation - a choice experiment based approach. *Silva Fennica* 40(1): 169-178.
- Horne, P. & Bennett, J. The significance of policy instruments in benefit transfer. *Julkaisussa: Rolfe, J. & Bennett, J. (eds.). Choice modelling and the transfer of environmental values. New Horizons in Environmental Economics.* p. 245-254.
- Hotanen, J.-P., Maltamo, M. & Reinikainen, A. Canopy stratification in peatland forests in Finland. *Silva Fennica* 40(1): 53-82.
- Hugot, J.-P., Plyusnina, A., Herbreteau, V., Nemirov, K., Laakkonen, J., Lundkvist, Å., Supputamongkol, Y., Henttonen, H. & Plyusnin, A. Genetical analyses of Thailand hantavirus in *Bandicota indica* trapped in Thailand. ([www.virologyj.com/content/3/1/72](http://www.virologyj.com/content/3/1/72), doi10.1186/1743-422X-3-72). *Virology Journal* 3:72. 9 s.
- Huuskonen, S. & Hynynen, J. Timing and intensity of precommercial thinning and their effects on the first commercial thinning in Scots pine stands. *Silva Fennica* 40(4): 645-662.
- Hytönen, J. & Wall, A. Foliar colour as indicator of nutrient status of Scots pine (*Pinus sylvestris* L.) on peatlands. *Forest Ecology and Management* 237(1-3): 156-163.
- Hyvönen, P. & Anttila, P. Change detection in boreal forests using bi-temporal aerial photographs. *Silva Fennica* 40(2): 303-314.
- Hyytiäinen, K., Ilomäki, S., Mäkelä, A. & Kinnunen, K. Economic analysis of stand establishment for Scots pine. *Canadian Journal of Forest Research* 36: 1179-1189.
- Häggman, H., Niemi, K., Tiimonen, H., Ylioja, T. & Chiang, V. Environmental aspects of lignin modified trees. *Julkaisussa: Fladung M. & Ewald D. (eds.). Tree transgenesis: recent developments. Springer-Verlag, Berlin.* p. 105-122.
- Häggman, H., Vuosku, J., Sarjala, T., Jokela, A. & Niemi, K. Somatic embryogenesis of pine species: From functional genomics to plantation forestry. *Julkaisussa: Mujib, A. & Samaj, J. (eds.). Somatic embryogenesis. Plant Cell Monographs* 2: 119-140.
- Iivonen, S., Kaakinen, S., Jolkkonen, A., Vapaavuori, E. & Linder, S. Influence of long-term nutrient optimization on biomass, carbon and nitrogen acquisition and allocation in Norway spruce. *Canadian Journal of Forest Research* 36: 1563-1571.
- Jaakkola, L., Helle, T., Soppela, J., Kuitunen, M. & Yrjönen, M. Effects of forest characteristics on the abundance of alectoroid lichens in northern Finland. *Canadian Journal of Forest Research* 36(11): 2955-2965.
- Jaakkola, T., Mäkinen, H. & Saranpää, P. Wood density of Norway spruce: Responses to timing and intensity of first commercial thinning and fertilisation. *Forest Ecology and Management* 237(1-3): 513-521.
- Jokinen, H.K., Kiikkilä, O. & Fritze, H. Exploring the mechanisms behind elevated microbial activity after wood ash application. *Soil Biology & Biochemistry* 38: 2285-2291.
- Juntunen, V. & Neuvonen, S. Natural regeneration of Scots pine and Norway spruce close to the timberline in northern Finland. *Silva Fennica* 40(3): 443-458.
- Jutras, S., Hökkä, H., Begin, J. & Plamondon, A. Beneficial influence of plant neighbours on tree growth in drained forested peatlands: a case study. *Canadian Journal of Forest Research* 36: 2341-2350.
- Jutras, S., Plamondon, A., Hökkä, H. & Bégin, J. Water table changes following precommercial thinning on post-harvest drained wetlands. *Forest Ecology and Management* 235(1-3): 252-259.
- Jylhä, P. & Hytönen, J. Effect of vegetation control on the survival and growth of Scots pine and Norway spruce planted on former agricultural land. *Canadian Journal of Forest Research* 36: 2400-2411.

- Jylhä, P. & Keskinen, N. Properties of bundled tree sections of young Scots pine in debarking, chipping, and pulping. *Forest Products Journal* 56(7/8): 39-45.
- Kaila, S., Kiljunen, N., Miettinen, A. & Valkonen, S. Effect of timing of precommercial thinning on the consumption of working time in *Picea abies* stands in Finland. *Scandinavian Journal of Forest Research* 21: 496-504.
- Kainulainen, T. & Toppinen, A. Testing integration in main European paper markets under floating and fixed exchange rates. *Forest Policy and Economics* 9(4): 372-379.
- Kaitera, J. & Nuorteva, H. Finnish *Cronartium ribicola* does not infect alternate hosts of *Cronartium flaccidum*. *Forest Pathology* 36: 247-252.
- Kaitera, J. & Nuorteva, H. Susceptibility of *Ribes* spp. to pine stem rusts in Finland. *Forest Pathology* 36: 225-246.
- Kallio, A.M.I., Moiseyev, A. & Solberg, B. Economic impacts of increased forest conservation in Europe: a forest sector model analysis. *Environmental Science and Policy* 9: 457-465.
- Kallio, E.R., Poikonen, A., Vaheri, A., Vapalahti, O., Henttonen, H., Koskela, E. & Mappes, T. Maternal antibodies postpone hantavirus infection and enhance individual breeding success. *Proceedings of the Royal Society of London. Series B. Biological Sciences* 273: 2771-2776.
- Kallio, E.R.K., Klingström, J., Gustafsson, E., Manni, T., Vaheri, A., Henttonen, H., Vapalahti, O. & Lundkvist, Å. Prolonged survival of Puumala hantavirus outside the host: evidence for indirect transmission via the environment. *Journal of General Virology* 87: 2127-2134.
- Kallio-Kokko, H., Laakkonen, J., Rizzoli, A., Tagliapietra, V., Cattadori, I., Perkins, S., Hudson, P.J., Vapalahti, O., Vaheri, A. & Henttonen, H. Hanta- and arenavirus antibody prevalence in rodents and humans in Trentino, Northern Italy. *Epidemiology and Infection* 134: 830-836.
- Kanerva, S., Kitunen, V., Kiikkilä, O., Loponen, J. & Smolander, A. Response of soil C and N transformations to tannin fractions originating from Scots pine and Norway spruce needles. *Soil Biology & Biochemistry* 38: 1364-1374.
- Kasurinen, A., Riikonen, J., Oksanen, E., Vapaavuori, E. & Holopainen, T. Chemical composition and decomposition of silver birch leaf litter produced under elevated CO<sub>2</sub> and O<sub>3</sub>. *Plant and Soil* 282: 261-280.
- Katila, M. Correcting map errors in forest inventory estimates for small areas. *Julkaisussa: Kangas, A. & Maltamo, M. (eds.). Forest inventory. Methodology and applications. Managing Forest Ecosystems. Vol 10. Springer, Dordrecht. p. 225-233.*
- Katila, M. Empirical errors of small area estimates from the multisource National Forest Inventory in Eastern Finland. *Silva Fennica* 40(4): 729-742.
- Kauhanen, M., Vainio, E.J., Hantula, J., Eyjolfssdottir, G.G. & Niemelä, P. Endophytic fungi in Siberian larch (*Larix sibirica*) needles. *Forest Pathology* 36: 434-446.
- Kiikkilä, O., Kitunen, V. & Smolander, A. Dissolved soil organic matter from surface organic horizons under birch and conifers: Degradation in relation to chemical characteristics. *Soil Biology & Biochemistry* 38: 737-746.
- Kim, H.-J. & Tomppo, E. Model-based prediction error uncertainty estimation for k-nn method. *Remote Sensing of Environment* 104: 257-263.
- Klemola, T., Huitu, O. & Ruohomäki, K. Geographically partitioned spatial synchrony among cyclic moth populations. *Oikos* 114(2): 349-359.
- Koivuniemi, J. & Korhonen, K.T. Inventory by compartments. *Julkaisussa: Kangas, A. & Maltamo, M. (eds.). Forest inventory. Methodology and applications. Managing Forest Ecosystems. Vol 10. Springer, Dordrecht. p. 271-278.*
- Koivusalo, H., Kokkonen, T., Laurén, A., Ahtiainen, M., Karvonen, T., Mannerkoski, H., Penttinen, S., Seuna, P., Starr, M. & Finér, L. Parametrisation and application of a hillslope hydrological model to assess impacts of forest clear-cutting on runoff generation. *Environmental Modelling and Software* 21: 1324-1339.

- Kojola, I., Hallikainen, V., Nygren, T., Pesonen, M. & Ruusila, V. Recent trends and harvest in Finland's brown bear population. *Ursus* 17(2): 159-164.
- Kokkonen, T., Koivusalo, H., Laurén, A., Penttinen, S., Starr, M., Kellomäki, S. & Finér, L. Implications of processing spatial data from a forested catchment for a hillslope hydrological model. *Ecological Modelling* 199: 393-408.
- Kolari, P., Pumpanen, J., Kulmala, L., Ilvesniemi, H., Nikinmaa, E., Grönholm, T. & Hari, P. Forest floor vegetation plays an important role in photosynthetic production of boreal forests. *Forest Ecology and Management* 221: 241-248.
- Koponen, J.T., Escudé Duran, C., Maljanen, M., Hytönen, J. & Martikainen, P.J. Temperature responses of NO and N<sub>2</sub>O emissions from boreal organic agricultural soil. *Soil Biology & Biochemistry* 36: 1779-1787.
- Korhonen, L., Korhonen, K.T., Rautiainen, M. & Stenberg, P. Estimation of forest canopy cover: a comparison of field measurement techniques. *Silva Fennica* 40(4): 577-588.
- Korkalainen, T. & Laurén, A. Using phytogeomorphology, cartography and GIS to explain forest site productivity expressed as tree height in southern and central Finland. *Geomorphology* 74: 271-284.
- Korkama, T., Pakkanen, A. & Pennanen, T. Ectomycorrhizal community structure varies among Norway spruce (*Picea abies*) clones. *New Phytologist* 171(4): 815-824.
- Korpela, I., Anttila, P. & Pitkänen, J. The performance of a local maxima method for detecting individual tree tops in aerial photographs. *International Journal of Remote Sensing* 27(6): 1159-1175.
- Kortelainen, P., Mattsson, T., Finér, L., Ahtiainen, M., Saukkonen, S. & Sallantausta, T. Controls on the export of C, N, P and Fe from undisturbed boreal catchments, Finland. *Aquatic Sciences* 68: 453-468.
- Kortelainen, P., Rantakari, M., Huttunen, J.T., Mattsson, T., Alm, J., Juutinen, S., Larmola, T., Silvola, J. & Martikainen, P.J. Sediment respiration and lake trophic state are important predictors of large CO<sub>2</sub> evasion from small boreal lakes. *Global Change Biology* 12: 1554-1567.
- Kostiainen, K., Jalkanen, H., Kaakinen, S., Saranpää, P. & Vapaavuori, E. Wood properties of two silver birch clones exposed to elevated CO<sub>2</sub> and O<sub>3</sub>. *Global Change Biology* 12: 1230-1240.
- Kubin, E. Leaching of nitrogen from upland forest-regeneration sites into wetland areas. *Julkaisussa: Krecek, J. & Haigh, M. (eds.). Environmental Role of Wetlands in Headwaters. Springer. s. 87-94.*
- Kultti, S., Mikkola, K., Virtanen, T., Timonen, M. & Eronen, M. Past changes in the Scots pine forest line and climate in Finnish Lapland: a study based on megafossils, lake sediments, and GIS-based vegetation and climate data. *The Holocene* 16(3): 381-391.
- Kurtila, M., Pykäläinen, J. & Leskinen, P. Defining the forest landowner's utility loss compensative subsidy level for a biodiversity object. *European Journal of Forest Research* 125(1): 67-78.
- Kyllönen, S., Calpaert, A., Heikkinen, H., Jokinen, M., Kumpula, J., Marttunen, M., Muje, K. & Raitio, K. Conflict management as a means to the sustainable use of natural resources. *Silva Fennica* 40(4): 687-728.
- Laakkonen, J., Kallio, E.R., Kallio-Kokko, H., Vapalahti, O., Vaheiri, A. & Henttonen, H. Is there an association of *Pneumocystis* infection with the presence of arena-, hanta-, and poxvirus antibodies in wild mice and shrews in Finland? *Parasitology* 132(1): 1-6.
- Laakkonen, J., Kallio-Kokko, H., Öktem, M.A., Blasdell, K., Plyusnina, A., Niemimaa, J., Karataş, A., Plyusnin, A., Vaheiri, A. & Henttonen, H. Serological survey for viral pathogens in Turkish rodents. *Journal of Wildlife Diseases* 42(3): 672-676.
- Laaksonen-Craig, S. & Uusivuori, J. Research and development operations and foreign expansion of multinational companies: Evidence from forest industry micro-data. *Forest Science* 52(5): 549-556.

- Laitila, J. Cost and sensitive analysis tools for forest energy procurement chains. *Forestry Studies* 45: 5-10.
- Laitila, J. & Asikainen, A. Energy wood logging from early thinnings by harwarder method. *Baltic Forestry* 12(1): 94-102.
- Lappi, J. A multivariate, nonparametric stem-curve prediction method. *Canadian Journal of Forest Research* 36(4): 1017-1027.
- Lappi, J. Smooth height/age curves from stem analysis with linear programming. *Silva Fennica* 40(2): 291-301.
- Lappi, J. & Kangas, A. Use of additional information. *Julkaisussa: Kangas, A. & Maltamo, M. (eds.). Forest inventory. Methodology and applications. Managing Forest Ecosystems. Vol 10. Springer, Dordrecht. s. 107-117.*
- Lappi, J., Mehtätalo, L. & Korhonen, K.T. Generalizing sample tree information. *Julkaisussa: Kangas, A. & Maltamo, M. (eds.). Forest inventory. Methodology and applications. Managing Forest Ecosystems. Vol 10. Springer, Dordrecht. p. 85-106.*
- Larmola, T., Alm, J., Juutinen, S., Koppisch, D., Augustin, J., Martikainen, P.J. & Silvola, J. Spatial patterns of litter decomposition in the littoral zone of boreal lakes. *Freshwater Biology* 51(12): 2252-2264.
- Leskinen, L.A., Leskinen, P., Kurttila, M., Kangas, J. & Kajanus, M. Adapting modern strategic decision support tools in the participatory strategy process - a case study of a forest research station. *Forest Policy and Economics* 8: 267-278.
- Leskinen, P., Viitanen, J., Kangas, A. & Kangas, J. Alternatives to incorporate uncertainty and risk attitude in multicriteria evaluation of forest plans. *Forest Science* 52: 304-312.
- Lilja, A.T., Parikka, P.K., Pääskynkivi, E.A., Hantula, J.I., Vainio, E.J., Vartiamäki, H.A., Lemmetty, A.H. & Vestberg, M.V. *Phytophthora cactorum* and *Colletotrichum acutatum*: survival and detection. *Agriculturae Conspectus Scientificus* 71(4): 121-128.
- Linden, M. & Leppänen, J. Public cost-sharing in private forest investments in Finland 1983-2000. *European Journal of Forest Research* 125(3): 317-324.
- Lindroos, A.-J., Derome, J., Derome, K. & Lindgren, M. Trends in sulphate deposition on the forests and forest floor and defoliation degree in 16 intensively studied forest stands in Finland during 1996-2003. *Boreal Environment Research* 11(6): 451-461.
- Linkosalo, T., Häkkinen, R. & Hänninen, H. Models of spring phenology of boreal and temperate trees: is there something missing? *Tree Physiology* 26: 1165-1172.
- Liski, J., Lehtonen, A., Palosuo, T., Peltoniemi, M., Eggers, T., Muukkonen, P. & Mäkipää, R. Carbon accumulation in Finland's forests 1922-2004 - an estimate obtained by combination of forest inventory data with modelling of biomass, litter and soil. *Annals of Forest Science* 63(7): 687-697.
- Luoranen, J., Lappi, J., Zhang, G. & Smolander, H. Field performance of hybrid aspen clones planted in summer. *Silva Fennica* 40(2): 257-269.
- Luoranen, J., Rikala, R., Konttinen, K. & Smolander, H. Summer planting of *Picea abies* container-grown seedlings: Effects of planting date on survival, height growth and root egress. *Forest Ecology and Management* 237(1-3): 534-544.
- Lyytikäinen-Saarenmaa, P., Varama, M., Anderbrant, O., Kukkola, M., Kokkonen, A.-M., Hedenström, E. & Högberg, H.-E. Monitoring the European pine sawfly with pheromone traps in maturing Scots pine stands. *Agricultural and Forest Entomology* 8: 7-15.
- Maaßen, S., Fritze, H. & Wirth, S. Response of soil microbial biomass, activities, and community structure at a pine stand in north-eastern Germany, five years after thinning. *Canadian Journal of Forest Research* 36: 1427-1436.
- Malinen, J., Kilpeläinen, H., Wall, T. & Verkasalo, E. Variation in the value recovery when bucking to alternative timber assortments and log dimensions. *Forestry Studies* 45: 89-100.

- Maljanen, M., Nykänen, H., Moilanen, M. & Martikainen, P.J. Greenhouse gas fluxes of coniferous forest floors as affected by wood ash addition. *Forest Ecology and Management* 237(1-3): 143-149.
- Maltamo, M., Eerikäinen, K., Packalén, P. & Hyypä, J. Estimation of stem volume using laser scanning-based canopy height metrics. *Forestry* 79: 217-229.
- Maltamo, M., Hyypä, J. & Malinen, J. A comparative study of the use of laser scanner data and field measurements in the prediction of crown height in boreal forests. *Scandinavian Journal of Forest Research* 21(3): 231-238.
- Maltamo, M., Malinen, J., Packalén, P., Suvanto, A. & Kangas, J. Nonparametric estimation of stem volume using airborne laser scanning, aerial photography, and stand register data. *Canadian Journal of Forest Research* 36(2): 426-436.
- Marjamaa, K., Kukkola, E., Lundell, T., Karhunen, P., Saranpää, P. & Fagerstedt, K.V. Monolignol oxidation by xylem peroxidase isoforms of Norway spruce (*Picea abies*) and silver birch (*Betula pendula*). *Tree Physiology* 26: 605-611.
- Martz, F., Kiviniemi, S., Palva, T.E. & Sutinen, M.-L. Contribution of omega-3 fatty acid desaturase and 3-ketoacyl-ACP synthase II (KASII) genes in the modulation of glycerolipid fatty acid composition during cold acclimation in birch leaves. *Journal of Experimental Botany* 57(4): 897-909.
- Martz, F., Sutinen, M.-L., Kiviniemi, S. & Palta, J.P. Changes in freezing tolerance, plasma membrane H<sup>+</sup>-ATPase activity and fatty acid composition in *Pinus resinosa* needles during cold acclimation and de-acclimation. *Tree Physiology* 26: 783-790.
- Matala, J., Ojansuu, R., Peltola, H., Raitio, H. & Kellomäki, S. Modelling the response of tree growth to temperature and CO<sub>2</sub> elevation as related to the fertility and current temperature sum of a site. *Ecological Modelling* 199(1): 39-52.
- Merilä, P., Galand, P.E., Fritze, H., Tuittila, E.-S., Kukko-oja, K., Laine, J. & Yrjälä, K. Methanogen communities along a primary succession transect of mire ecosystems. *FEMS Microbiology Ecology* 55(2): 221-229.
- Miina, J., Eerikäinen, K. & Hasenauer, H. Modeling forest regeneration. *Julkaisussa: Hasenauer, H. (ed.). Sustainable forest management. Growth models for Europe. Springer, Berlin Heidelberg.* s. 93-109.
- Miina, J. & Saksa, T. Predicting regeneration establishment in Norway spruce plantations using a multivariate multilevel model. *New Forests* 32(3): 265-283.
- Minkkinen, K. & Laine, J. Vegetation heterogeneity and ditches create spatial variability in methane fluxes from peatlands drained for forestry. *Plant and Soil* 285: 289-304.
- Moilanen, M., Fritze, H., Nieminen, M., Piirainen, S., Issakainen, J. & Piispanen, J. Does wood ash application increase heavy metal accumulations in forest berries and mushrooms? *Forest Ecology and Management* 226: 153-160.
- Morisette, J.T. et al. (30 kirjoittajaa, Metlasta Voipio, P.). Validation of global moderate-resolution LAI products: A framework proposed within the CEOS Land Product Validation Subgroup. *Julkaisussa: Morisette, J.T., Baret, F. & Liang, S. (eds.). Special issue on global land product validation. IEEE Transactions on Geoscience and Remote Sensing* 44(7): 1804-1817.
- Mutanen, A. Estimating substitution in coniferous sawnwood imports into Germany. *Journal of Forest Economics* 12(1): 31-50.
- Muukkonen, P. & Mäkipää, R. Empirical biomass models of understorey vegetation in boreal forests according to stand and site attributes. *Boreal Environment Research* 11: 355-369.
- Muukkonen, P., Mäkipää, R., Laiho, R., Minkkinen, K., Vasander, H. & Finér, L. Relationship between biomass and percentage cover in understorey vegetation of boreal coniferous forests. *Silva Fennica* 40(2): 231-245.
- Mäkinen, H. & Hein, S. Effect of wide spacing on increment and branch properties of young Norway spruce. *European Journal of Forest Research* 125(3): 239-248.

- Mäkinen, H., Hynynen, J., Siitonen, J. & Sievänen, R. Predicting the decomposition of Scots pine, Norway spruce, and birch stems in Finland. *Ecological Applications* 16(5): 1865-1879.
- Mäkinen, H., Isomäki, A. & Hongisto, T. Effect of half-systematic and systematic thinning on the increment of Scots pine and Norway spruce in Finland. *Forestry* 79(1): 103-121.
- Mäkinen, M., Tervo, L., Tuomainen, A. & Kangas, J. Triadimefon in forestry nurseries: Operator exposure and the effectiveness of spraying methods. *Baltic Forestry* 12(1): 46-50.
- Mäkinen, P. & Selby, J.A. Challenges to the growth of Finnish woodworking SMEs. *International Journal of Entrepreneurship and Small Business* 3(5): 594-606.
- Männistö, M.K. & Häggblom, M.M. Characterization of psychrotolerant heterotrophic bacteria from Finnish Lapland. *Systematic and Applied Microbiology* 29(3): 229-243.
- Niemi, K., Sutela, S., Häggman, H., Scagel, C., Vuosku, J., Jokela, A. & Sarjala, T. Changes in polyamine content and localization of *Pinus sylvestris* ADC and *Suillus variegatus* ODC mRNA transcripts during the formation of mycorrhizal interaction in an in vitro cultivation system. *Journal of Experimental Botany* 57: 2795-2804.
- Nieminen, T.M., Ukonmaanaho, L., Rausch, N. & Shoty, W. Availability and toxicity of Cu and Ni to Scots pine in different soils. *Forest, Snow and Landscape Research* 80(3): 349-360.
- Nothdurft, A., Kublin, E. & Lappi, J. A non-linear hierarchical mixed model to describe tree height growth. *European Journal of Forest Research* 125(3): 281-289.
- Nurminen, T., Korpunen, H. & Uusitalo, J. Time consumption analysis of the mechanized cut-to-length harvesting system. *Silva Fennica* 40(2): 336-363.
- Nuutinen, T., Anola-Pukkila, A., Lempinen, R., Redsvén, V. & Siitonen, M. Balancing between set-aside and forest management activities of stands using integrated stand and forest level optimization. *Allgemeine Forst- und Jagdzeitung* 177(3/4): 71-76.
- Nuutinen, T., Matala, J., Hirvelä, H., Härkönen, K., Peltola, H., Väisänen, H. & Kellomäki, S. Regionally optimized forest management under changing climate. *Climatic Change* 79(3-4): 315-333.
- Ovaskainen, H., Uusitalo, J. & Sassi, T. Effect of edge trees on harvester positioning in thinning. *Forest Science* 52(6): 659-669.
- Ovaskainen, V., Hänninen, H., Mikkola, J. & Lehtonen, E. Cost-sharing and private timber stand improvements: A two-step estimation approach. *Forest Science* 52(1): 44-54.
- Owari, T., Juslin, H., Rummukainen, A. & Yoshimura, T. Strategies, functions and benefits of forest certification in wood products marketing: Perspectives of Finnish suppliers. *Forest Policy and Economics* 9(4): 380-391.
- Palosuo, T., Saccomani, M.P., Sievänen, R. & Liski, J. Global identifiability as a prerequisite for model parameterisation - the case of soil carbon model Yasso. *Julkaisussa: Commault, C. & Marchand, N. (eds.). Positive systems. Proceedings of the second Multidisciplinary International Symposium on Positive Systems: Theory and Applications (POSTA 06), Grenoble, France, Aug. 30-31, Sept. 1, 2006. Lecture Notes in Control and Information Sciences* 341: 129-136.
- Peltonen, P.A., Julkunen-Tiitto, R., Vapaavuori, E. & Holopainen, J.K. Effects of elevated carbon dioxide and ozone on aphid oviposition preference and birch bud exudate phenolics. *Global Change Biology* 12: 1670-1679.
- Peltoniemi, M., Palousuo, T., Monni, S., Mäkipää, R. Factors affecting the uncertainty of sinks and stocks of carbon in Finnish forests soils and vegetation. *Forest Ecology and Management* 232(1-3): 75-85.
- Pensa, M., Sepp, M. & Jalkanen, R. Connections between climatic variables and the growth and needle dynamics of Scots pine (*Pinus sylvestris* L.) in Estonia and Lapland. *International Journal of Biometeorology* 50: 205-214.
- Penttinen, M. Impact of stochastic price and growth processes on optimal rotation age. *European Journal of Forest Research* 125: 335-343.

- Penttinen, M.J. Proactive and reactive computer network maintenance policies: accounting and risks. *International Journal of Technology, Policy and Management* 6(3): 292-308.
- Petäistö, R.-L. Botrytis cinerea and Norway spruce seedlings in cold storage. *Baltic Forestry* 12(1): 24-33.
- Polevoi, A., Jakovlev, J. & Zaitzev, A. Fungus gnats (Diptera: Bolitophilidae, Diadocidiidae, Keroplatidae and Mycetophilidae) new to Finland. *Entomologica Fennica* 17(2): 161-169.
- Pouta, E., Neuvonen, M. & Sievänen, T. Determinants of nature trip expenditures in Southern Finland - implications for nature tourism development. *Scandinavian Journal of Hospitality and Tourism* 6(2): 118-135.
- Pouta, E. & Ovaskainen, V. Assessing the recreational demand for agricultural land in Finland. *Agricultural and Food Science* 15(4): 375-387.
- Pouta, E., Sievänen, T. & Neuvonen, M. Recreational wild berry picking in Finland - Reflection of a rural lifestyle. *Society and Natural Resources* 19: 285-304.
- Prittinen, K., Pusenius, J., Tahvanainen, J., Rousi, M., Heinonen, J. & Roininen, H. Herbivory modifies the genetic structure of birch populations. *Oikos* 114(3): 465-470.
- Raiskila, S., Fagerstedt, K., Laakso, T., Saranpää, P., Löija, M., Paajanen, L., Mahlberg, R. & Ritschkoff, A.-C. Polymerisation of added coniferyl alcohol by inherent xylem peroxidases and its effect on fungal decay resistance of Norway spruce. *Wood Science and Technology* 40: 697-707.
- Raiskila, S., Saranpää, P., Fagerstedt, K., Laakso, T., Löija, M., Mahlberg, R., Paajanen, L. & Ritschkoff, A.-C. Growth rate and wood properties of Norway spruce cutting clones on different sites. *Silva Fennica* 40(2): 247-256.
- Ranta, H., Kubin, E., Siljamo, P., Sofiev, M., Linkosalo, T., Oksanen, A. & Bondestam, K. Long distance pollen transport cause problems for determining the timing of birch pollen season in Fennoscandia by using phenological observations. *Grana* 45(4): 297-304.
- Rantalainen, M.-L., Haimi, J., Fritze, H. & Setälä, S. Effects of small-scale habitat fragmentation, habitat corridors and mainland dispersal on soil decomposer organisms. *Applied Soil Ecology* 34: 152-159.
- Rausch, N., Ukonmaanaho, L., Nieminen, T.M., Krachler, M., LeRoux, G. & Shoty, W. Evaluation of samplers and filter materials for the establishment of trace metal concentration profiles in peat bog porewaters using inductively coupled plasma-mass spectrometry. *Analytica Chimica Acta* 558: 201-210.
- Repo, T., Leinonen, I., Wang, K.-Y. & Hänninen, H. Relation between photosynthetic capacity and cold hardiness in Scots pine. *Physiologia Plantarum* 126: 224-231.
- Repola, J. Models for vertical wood density of Scots pine, Norway spruce and birch stems, and their application to determine average wood density. *Silva Fennica* 40(4): 673-685.
- Repola, J., Hökkä, H. & Penttilä, T. Thinning intensity and growth of mixed spruce-birch stands on drained peatlands in Finland. *Silva Fennica* 40(1): 83-99.
- Ruokolainen, L. & Salo, K. Differences in performance of four ordination methods on a complex vegetation dataset. *Annales Botanici Fennici* 43(4): 269-275.
- Ruokolainen, L. & Salo, K. The succession of plant communities during ten years after slash-burning in Koli National Park, eastern Finland. *Annales Botanici Fennici* 43(5): 363-378.
- Ruotsalainen, S. Tree species experiments at the northern timberline region in Finland. *Eurasian Journal of Forest Research* 9(2): 51-60.
- Räisänen, M., Repo, T. & Lehto, T. Effect of thawing time, cooling rate, and boron nutrition on freezing point of the primordial shoot in Norway spruce buds. *Annals of Botany* 97: 593-599.
- Räisänen, M., Repo, T., Rikala, R. & Lehto, T. Does ice crystal formation in buds explain growth disturbances in boron-deficient Norway spruce? *Trees - Structure and Function* 20: 441-448.
- Röser, D., Pasanen, K. & Asikainen, A. Decision-support program "EnerTree" for analyzing forest residue recovery options. *Biomass & Bioenergy* 30: 326-333.

- Saarsalmi, A., Kukkola, M., Moilanen, M. & Arola, M. Long-term effects of ash and N fertilization on stand growth, tree nutrient status and soil chemistry in a Scots pine stand. *Forest Ecology and Management* 235: 116-128.
- Sah, P.S. & Ilvesniemi, H. Effects of clear-cutting and soil preparation on natural <sup>15</sup>N abundance in the soil and needles of two boreal conifer tree species. *Isotopes in Environmental and Health Studies* 42(4): 367-377.
- Salminen, H. & Jalkanen, R. Modelling variation of needle density of Scots pine at high latitudes. *Silva Fennica* 40(2): 183-194.
- Seppälä, R. Global trends and issues in the forest sector and challenges to forest research. *Allgemeine Forst- und Jagdzeitung* 177(8/9): 138-141.
- Siipilehto, J. Height distributions of Scots pine sapling stands affected by retained tree and edge stand competition. *Silva Fennica* 40(3): 473-486.
- Siipilehto, J. Linear prediction application for modelling the relationships between a large number of stand characteristics of Norway spruce stands. *Silva Fennica* 40(3): 517-530.
- Similä, M., Kouki, J., Mönkkönen, M., Sippola, A.-L. & Huhta, E. Co-variation and indicators of species diversity: Can richness of forest-dwelling species be predicted in northern boreal forests? *Ecological Indicators* 6: 686-700.
- Sirén, M., Heikkilä, J. & Sauvula, T. Combined production of industrial and energy wood in Scots pine stands. *Forestry Studies* 45: 150-163.
- Siren, M., Tantt, V. & Ahtikoski, A. Financial comparison of strip road alternatives in the harvesting of pine stands on drained peatlands. *Baltic Forestry* 12(1): 70-81.
- Sjögren, L.L.L., Stanne, T.M., Zheng, B., Sutinen, S. & Clarke, A.K. Structural and functional insights into the chloroplast ATP-dependent Clp protease in *Arabidopsis*. *The Plant Cell* 18: 2635-2649.
- Smolander, A., Ketola, R.A., Kotiaho, T., Kanerva, S., Suominen, K. & Kitunen, V. Volatile monoterpenes in soil atmosphere under birch and conifers: Effects on soil N transformations. *Soil Biology & Biochemistry* 38: 3436-3442.
- Soppela, P., Turunen, M., Forbes, B., Alkio, P., Magga, H., Sutinen, M.-L., Lakkala, K. & Uhlig, C. The chemical response of reindeer summer pasture plants in a subarctic peatland to ultraviolet (UV) radiation. *Julkaisussa: Forbes, B.C., Bölder, M., Müller-Wille, L., Hukkinen, J. & Konstantinov, Y. (eds.). Reindeer management in northernmost Europe. Linking practical and scientific knowledge in social-ecological systems. Ecological Studies 184: 199-213. Springer-Verlag. Berlin.*
- Stark, S. & Kytöviita, M.-M. Simulated grazer effects on microbial respiration in a subarctic meadow: implications for nutrient competition between plants and microorganisms. *Applied Soil Ecology* 31: 20-31.
- Starr, M. & Lindroos, A.-J. Changes in the rate of release of Ca and Mg and normative mineralogy due to weathering along a 5300-year chronosequence of boreal forest soils. *Geoderma* 133: 269-280.
- Stenvall, N., Haapala, T. & Pulkkinen, P. The role of a root cutting's diameter and location on the regeneration ability of hybrid aspen. *Forest Ecology and Management* 237(1-3): 150-155.
- Stöd, R., Kilpeläinen, H. & Wall, T. Yield and technical quality of Scots pine saw timber from thinnings on drained peatlands and mineral soils in Finland. *Baltic Forestry* 12(2): 170-183.
- Sutinen, R., Päänttjä, M., Teirilä, A. & Sutinen, M.-L. Effect of mechanical site preparation on soil quality in former Norway spruce sites. *Geoderma* 136: 411-422.
- Sutinen, S., Vuorinen, M. & Rikala, R. Developmental disorders in buds and needles of mature Norway spruce, *Picea abies* (L.) Karst., in relation to needle boron concentrations. *Trees - Structure and Function* 20: 559-570.
- Tahvonen, O. & Kallio, M. Optimal harvesting of forest age classes under price uncertainty and risk aversion. *Natural Resource Modelling* 19(4): 557-586.

- Tahvonen, O. & Viitala, E.-J. Does Faustmann rotation apply to fully regulated forests? *Forest Science* 52(1): 23-30.
- Tanskanen, H., Granström, A., Venäläinen, A. & Puttonen, P. Moisture dynamics of moss-dominated surface fuel in relation to the structure of *Picea abies* and *Pinus sylvestris* stands. *Forest Ecology and Management* 226: 189-198.
- Tanskanen, N. & Ilvesniemi, H. Cation-exchange reactions involving aluminium ions in podzols disturbed by deep tilling. *Boreal Environment Research* 11: 81-92.
- Tegelberg, R., Turtola, S., Rousi, M., Meier, B. & Julkunen-Tiitto, R. Soluble polyamines in *Salix myrsinifolia* and *S. myrsinifolia* x *S. myrsinifolia* plantlets exposed to increased UV-B irradiation and decreased watering. *Trees - Structure and Function* 20(3): 299-303.
- Tikkanen, J., Isokääntä, T., Pykäläinen, J. & Leskinen, P. Applying cognitive mapping approach to explore the objective-structure of forest owners in a Northern Finnish case area. *Forest Policy and Economics* 9: 139-152.
- Toivonen, R. & Viiri, H. Adult large pine weevils *Hylobius abietis* feed on silver birch *Betula pendula* even in the presence of conifer seedlings. *Agricultural and Forest Entomology* 8(2): 121-128.
- Tomppo, E. The Finnish National Forest Inventory. *Julkaisussa: Kangas, A. & Maltamo, M. (eds.). Forest inventory. Methodology and applications. Managing Forest Ecosystems. Vol 10. Springer, Dordrecht. s. 179-194.*
- Tomppo, E. The Finnish multi-source National Forest Inventory - small area estimation and map production. *Julkaisussa: Kangas, A. & Maltamo, M. (eds.). Forest inventory. Methodology and applications. Managing Forest Ecosystems. Vol 10. Springer, Dordrecht. s. 195-224.*
- Toppinen, A., Lähtinen, K. & Laaksonen-Craig, S. Financial performance and internationalization of operations: evidence from Finnish forest industry companies ([www.forestprod.org/jfpbr-online.html](http://www.forestprod.org/jfpbr-online.html)). *Journal of Forest Products Business Research* 3(2). 19 s.
- Trettin, C., Laiho, R., Minkkinen, K. & Laine, J. Influence of climate change factors on carbon dynamics in northern forested peatlands. *Canadian Journal of Soil Science* 86: 269-280.
- Tuominen, S., Holopainen, M. & Poso, S. Multiphase sampling. *Julkaisussa: Kangas, A. & Maltamo, M. (eds.). Forest inventory. Methodology and applications. Managing Forest Ecosystems. Vol 10. Springer, Dordrecht. s. 235-252.*
- Turtola, S., Rousi, M., Pusenius, J., Yamaji, K., Heiska, S., Tirkkonen, V., Meier, B. & Julkunen-Tiitto, R. Genotypic variation in drought response of willows grown under ambient and enhanced UV-B radiation. *Environmental and Experimental Botany* 56(1): 80-86.
- Tuulentie, S. The dialectic of identities in the field of tourism - Discourses of the indigenous Sami in defining their own and the tourists' identities. *Scandinavian Journal of Hospitality and Tourism* 6(1): 25-36.
- Tyrväinen, L., Gustavsson, R., Konijnendijk, C. & Ode, Å. Visualization and landscape laboratories in developing planning, design and management of urban woodlands. *Forest Policy and Economics* 8: 811-823.
- Törn, A., Rautio, J., Norokorpi, Y. & Tolvanen, A. Revegetation after short-term trampling at subalpine heath vegetation. *Annales Botanici Fennici* 43(1): 129-138.
- Ukonmaanaho, L., Nieminen, T.M., Rausch, N., Cheburkin, A., Le Roux, G. & Shotyck, W. Recent organic matter accumulation in relation to some climatic factors in ombrotrophic peat bogs near heavy metal emission sources in Finland. *Global and Planetary Change* 53: 259-268.
- Uotila, A., Kurkela, T., Tuomivirta, T., Hantula, J. & Kaitera, J. *Gremmeniella abietina* types cannot be distinguished using ascospore morphology. *Forest Pathology* 36(6): 395-405.
- Uusitalo, J., Puustelli, A., Kivinen, V.-P., Nummi, T. & Sinha, B.K. Bayesian estimation of diameter distribution during harvesting. *Silva Fennica* 40(4): 663-671.
- Vakkari, P., Blom, A., Rusanen, M., Raisio, J. & Toivonen, H. Genetic variability of fragmented stands of pedunculate oak (*Quercus robur*) in Finland. *Genetica* 127: 231-241.

- Vehviläinen, H., Koricheva, J., Ruohomäki, K., Johansson, T. & Valkonen, S. Effects of tree stand species composition on insect herbivory of silver birch in boreal forests. *Basic and Applied Ecology* 7(1): 1-11.
- Venäläinen, M., Harju, A.M., Terziev, N., Laakso, T. & Saranpää, P. Decay resistance, extractive content, and water sorption capacity of Siberian larch (*Larix sibirica* Lebed.) heartwood timber. *Holzforschung* 60: 99-103.
- Viherä-Aarnio, A. & Heikkilä, R. Effect of the latitude of seed origin on moose (*Alces alces*) browsing on silver birch (*Betula pendula*). *Forest Ecology and Management* 229: 325-332.
- Viherä-Aarnio, A., Häkkinen, R. & Junttila, O. Critical night length for bud set and its variation in two photoperiodic ecotypes of *Betula pendula*. *Tree Physiology* 26: 1013-1018.
- Viitala, E.-J. An early contribution of Martin Faustmann to natural resource economics. *Journal of Forest Economics* 12(2): 131-144.
- Vuosku, J., Jokela, A., Läärä, E., Sääskilähti, M., Muilu, R., Sutela, S., Altabella, T., Sarjala, T. & Häggman, H. Consistency of polyamine profiles and expression of arginine decarboxylase in mitosis during zygotic embryogenesis of Scots pine. *Plant Physiology* 142: 1027-1038.
- Vyse, A., Ferguson, C., Simard, S.W., Kano, T. & Puttonen, P. Growth of Douglas-fir, lodgepole pine, and ponderosa pine seedlings underplanted in partially-cut, dry Douglas-fir stand in south-central British Columbia. *Forestry Chronicle* 82(5): 723-732.
- Väänänen, R., Nieminen, M., Vuollekoski, M. & Ilvesniemi, H. Retention of phosphorus in soil and vegetation of a buffer zone area during snow melt peak flow in southern Finland. *Water, Air, and Soil Pollution* 177: 103-118.
- Väätäinen, K., Ala-Fossi, A., Nuutinen, Y. & Röser, D. The effect of single grip harvester's log bunching on forwarder efficiency. *Baltic Forestry* 12(1): 64-69.
- Väätäinen, K., Asikainen, A., Sikanen, L. & Ala-Fossi, A. The cost effect of forest machine relocations on logging costs in Finland. *Forestry Studies* 45: 135-141.
- Walker, M.D. et al. (27 kirjoittajaa, Metlasta Tolvanen, A.). Plant community responses to experimental warming across the tundra biome. *Proceedings of the National Academy of Sciences of the United States of America* 103(5): 1342-1346.
- Walker, T.R., Habeck, J.O., Karjalainen, T.P., Virtanen, T., Solovieva, N., Jones, V., Kuhry, P., Ponomarev, V.I., Mikkola, K., Nikula, A., Patova, E., Crittenden, P.D., Young, S.D. & Ingold, T. Perceived and measured levels of environmental pollution: Interdisciplinary research in the sub-arctic lowlands of Northeast European Russia. *Ambio* 35(5): 220-228.
- Wall, A. & Westman, C.J. Site classification of afforested arable land based on soil properties for forest production. *Canadian Journal of Forest Research* 36: 1451-1460.
- Weiss, R., Shurpali, N.J., Sallantausta, T., Laiho, R., Laine, J. & Alm, J. Simulation of water table level and peat temperatures in boreal peatlands. *Ecological Modelling* 192(3-4): 441-456.
- Werner, S.M., Albers, M.A., Cyderman, T., Diminic, D., Heyd, R., Hrasovic, B., Kobro, S., Larson, S., Mech, R., Niemelä, P., Rousi, M., Raffa, K.F., Scanlon, K. & Weber, S. Is the outbreaks status of *Thrips calcaratus* Uzel in North America due to altered host relationships? *Forest Ecology and Management* 225: 200-206.
- Westman, C.J., Hytönen, J. & Wall, A. Loss-on-ignition in the determination of pools of organic carbon in soils of forests and afforested arable fields. *Communications in Soil Science and Plant Analysis* 37(7 & 8): 1059-1075.
- Zheng, B., MacDonald, T.M., Sutinen, S., Hurry, V. & Clarke, A.K. A nuclear-encoded Clp subunit of the chloroplast ATP-dependent Clp protease is essential for early development in *Arabidopsis thaliana*. *Planta* 224(5): 981-1240.