

KANSAINVÄLISET REFEROIDUT JULKAISUT



Ahtikoski, A. & Pulkkinen, P. Cost-benefit analysis of using orchard or stand seed in Scots pine sowing, the case of northern Finland. *New Forests* 26: 247-262.

Alenius, V., Hökkä, H., Salminen, H. & Jutras, S. Evaluating estimation methods for logistic regression in modelling individual-tree mortality. *Julkaisussa: Amaro, A., Reed, D. & Soares, P. (eds.). Modelling forest ecosystems. CABI Publishing. s. 225-236.*

Andersson, S., Serimaa, R., Paakkari, T., Saranpää, P. & Pesonen, E. Crystallinity of wood and the size of cellulose crystallites in Norway spruce (*Picea abies*). *Journal of Wood Science* 49: 531- 537.

Aphalo, P. & Rikala, R. Field performance of silver-birch planting-stock grown at different spacing and in containers of different volume. *New Forests* 25(2): 93-108.

Aronen, T.S., Nikkanen, T.O. & Häggman, H.H. The production of transgenic Scots pine (*Pinus sylvestris* L.) via the application of transformed pollen in controlled crossings. *Transgenic Research* 12(3): 375-378.

Aronen, T., Tiimonen, H., Tsai, C.-J., Jokipii, S., Chen, X., Chiang, V. & Häggman, H. Altered lignin in transgenic silver birch (*Betula pendula*) expressing PtCOMT gene. *Julkaisussa: Espinel, E., Barredo, Y. & Ritter, E. (eds.). Sustainable*

forestry, wood products & biotechnology. DFA-AFA Press, Vitoria-Gasteiz. s. 149-161.

Berg, S. & Karjalainen, T. Comparison of greenhouse gas emissions from forest operations in Finland and Sweden. *Forestry* 76(3): 271- 284.

Brotos, L., Mönkkönen, M., Huhta, E., Nikula, A. & Rajasärkkä, A. Effects of landscape structure and forest reserve location on old-growth forest bird species in Northern Finland. *Landscape Ecology* 18(4): 377-393.

Burnett, C., Fall, A., Tomppo, E. & Kalliola, R. Monitoring current status of and trends in boreal forest land use in Russian Karelia. *Conservation Ecology* 7(2): 8. (on line) URL: <http://www.consecol.org/vol7/iss2/art8>. 29 s.

Clapham, D.H., Häggman, H., Elfstrand, M., Aronen, T. & von Arnold, S. Transformation of Norway spruce (*Picea abies*) by particle bombardment. *Julkaisussa: Jackson, J.F., Linskens, H.F. & Inman, R.B. (eds.). Genetic transformation of plants. Molecular Methods of Plant Analysis* 23: 127-146.

Dai, Y.-C., Vainio, E.J., Hantula, J., Niemelä, T. & Korhonen, K. Investigations on *Heterobasidion annosum* s.lat. in central and eastern Asia with the aid of mating tests and DNA fingerprinting. *Forest Pathology* 33: 269-286.

Dzierzon, H., Sievänen, R., Kurth, W., Perttunen, J. & Sloboda, B. Enhanced possibilities for analyzing tree structure as provided by an interface between different modelling systems. *Silva Fennica* 37(1): 31-44.

Elbakali, A.M., Lilja, A., Hantula, J. & Martin, M.P. Identification of Spanish isolates of *Rhizoctonia solani* from potato by anastomosis grouping, ITS-RLFP and RAMS-fingerprinting. *Phytopathologia Mediterranea* 42(2): 167-176.

Eriksson, G., Black-Samuelsson, S., Jensen, M., Myking, T., Rusanen, M., Skrøppa, T., Vakkari, P. & Westergaard, L. Genetic variability in two tree species, *Acer platanoides* L. and *Betula pendula* Roth., with contrasting life history traits. *Scandinavian Journal of Forest Research* 18: 320-331.

Finér, L., Piirainen, S., Mannerkoski, H. & Starr, M. Carbon and nitrogen pools in an old-growth, Norway spruce-mixed forest in eastern Finland and changes associated with clear-cutting. *Forest Ecology and Management* 174: 51-63.

Galand, P., Fritze, H. & Yrjälä, K. Microsite-dependent changes in methanogenic populations in a boreal oligotrophic fen. *Environmental Microbiology* 5(11): 1133-1143.

Haara, A. Comparing simulation methods for modelling the errors

- of stand inventory data. *Silva Fennica* 37(4): 477-491.
- Hakkarainen, H., Mykrä, S., Kurki, S., Korpimäki, E., Nikula, A. & Koivunen, V. Habitat composition as a determinant of reproductive success of Tengelmalm's owl under fluctuating food conditions. *Oikos* 100: 162-171.
- Hallgren, P., Ikonen, A., Hjalten, J. & Roininen, H. Inheritance patterns of phenolics in F1, F2 and back-cross hybrids of willows: Implications for herbivore responses to hybrid plants. *Journal of Chemical Ecology* 29: 1119-1134.
- Hantula, J. & Vainio, E. Specific primers for the differentiation of *Heterobasidion annosum* (s.str.) and *H. parviporum* infected stumps in northern Europe. *Silva Fennica* 37(2): 181-187.
- Harju, A.M., Venäläinen, M., Anttonen, S., Viitanen, H., Kainulainen, P., Saranpää, P. & Vapaavuori, E. Chemical factors affecting the brown-rot decay resistance of Scots pine heartwood. *Trees* 17: 263-268.
- Haukisalmi, V. & Henttonen, H. What is *Paranoplocephala macrocephala* (Dohitt, 1915) (Cestoda: Anoplocephalidae)? *Systematic Parasitology* 54: 53-69.
- Heikkinen, J. Trans-dimensional Bayesian non-parametrics with spatial point processes: *Julkaisussa: Green, P.J., Lid Hjort, N. & Richardson, S. (eds.). Highly structured stochastic systems. Oxford University Press. s. 203-206.*
- Heiskanen, J. & Rikala, R. Effect of peat-based container media on establishment of Scots pine, Norway spruce and silver birch seedlings. *Tree Planters' Notes* 50(1): 28-33.
- Hilli, A., Tillman-Sutela, E. & Kauppi, A. Germination of pretreated Scots pine seeds after long-term storage. *Canadian Journal of Forest Research* 33(1): 47-53.
- Hirvelä-Koski, V., Haukisalmi, V., Kilpelä, S.-S., Nylund, M. & Koski, P. *Echinococcus granulosus* in Finland. *Veterinary Parasitology* 111(2-3): 175-192.
- Horne, P. & Petäjistö, L. Preferences for alternative moose management regimes among Finnish landowners: a choice experiment approach. *Land Economics* 79(4): 472-482.
- Hotanen, J.-P. Multidimensional site description of peatlands drained for forestry. *Silva Fennica* 37(1): 55-93.
- Huhta, E., Jäntti, A., Suorsa, P., Nikula, A. & Hakkarainen, H. Habitat-related nest predation effect on the breeding success of the Eurasian treecreeper. *Ecoscience* 10(3): 283-288.
- Huhtala, A., Toppinen, A. & Boman, M. When theory is not enough - valuation of forest resources with "efficiency" prices in practice. *Journal of Forest Economics* 9(3): 206-222.
- Huttunen, J., Alm, J., Liikanen, A., Juutinen, S., Larmola, T., Hammar, T., Silvola, J. & Martikainen, P.J. Fluxes of methane, carbon dioxide and nitrous oxide in boreal lakes and potential anthropogenic effects on the aquatic greenhouse gas emissions. *Chemosphere* 52(3): 609-621.
- Huttunen, J.T., Alm, J., Saarijärvi, E., Lappalainen, M.K., Silvola, J. & Martikainen, P.J. Contribution of winter to the annual CH₄ emission from a eutrophied boreal lake. *Chemosphere* 50(2): 247-250.
- Huttunen, J.T., Juutinen, S., Alm, J., Larmola, T., Hammar, T., Silvola, J. & Martikainen, P.J. Nitrous oxide flux to the atmosphere from the littoral zone of a boreal lake. *Journal of Geophysical Research* 108(D14), 4421, doi:10.1029/2002JD002989. 10 s.
- Huttunen, J.T., Nykänen, H., Martikainen, P.J. & Nieminen, M. Fluxes of nitrous oxide and methane from drained peatlands following forest clear-felling in southern Finland. *Plant and Soil* 255: 457-462.
- Hynynen, J. & Ojansuu, R. Impact of plot size on individual-tree competition measures for growth and yield simulators. *Canadian Journal of Forest Research* 33(3): 455-465.
- Hytönen, J. Effects of wood, peat and coal ash fertilization on Scots pine foliar nutrient concentrations and growth on afforested former agricultural peat soils. *Silva Fennica* 37(2): 219-234.
- Hyvönen, E., Pänttjä, M., Sutinen, M.-L. & Sutinen, R. Assessing site suitability for Scots pine using airborne and terrestrial gamma-ray measurements in Finnish

- Lapland. Canadian Journal of Forest Research 33: 1-11.
- Hyytiäinen, K. & Tahvonen, O. Maximum sustained yield, forest rent or Faustmann: Does it really matter? Scandinavian Journal of Forest Research 18: 457-469.
- Häggman, H., Frey, A.D., Ryyänen, L., Aronen, T., Julkunen-Tiitto, R., Tiimonen, H., Pihakaski-Maunsbach, K., Jokipii, S., Chen, X. & Kallio, P. Expression of Vitrioscilla haemoglobin in hybrid aspen (*Populus tremula* x *tremuloides*). Plant Biotechnological Journal 1(4): 287-300.
- Ihalainen, M., Salo, K. & Pukkala, T. Empirical prediction models for *Vaccinium myrtillus* and *V. vitis-idaea* berry yields in North Karelia, Finland. *Silva Fennica* 37(1): 95-108.
- Jumppanen, J., Kurttila, M., Pukkala, T. & Uutera, J. Spatial harvest scheduling approach for areas involving multiple ownership. *Forest Policy and Economics* 5: 27-38.
- Juntunen, M.-L., Hammar, T. & Rikala, R. Nitrogen and phosphorus leaching and uptake by container birch seedlings (*Betula pendula* Roth) grown in three different fertilizations. *New Forests* 25(2): 133- 147.
- Juntunen, M.-L. & Kitunen, V. Leaching of propiconazole and chlorothalonil during production of *Pinus sylvestris* seedlings in containers. *Scandinavian Journal of Forest Research* 18(1): 45-53.
- Jutras, S., Hökkä, H., Alenius, V. & Salminen, H. Modeling mortality of individual trees in drained peatland sites in Finland. *Silva Fennica* 37(2): 235-251.
- Juutinen, S., Alm, J., Larmola, T., Huttunen, J.T., Morero, M., Martikainen, P.J. & Silvola, J. Major implication of the littoral zone for methane release from boreal lakes. *Global Biochemical Cycles* 17(4), 1117, doi:10.1029/2003GB002105, 2003. 11 s.
- Juutinen, S., Alm, J., Larmola, T., Huttunen, J.T., Morero, M., Saarnio, S., Martikainen, P.J. & Silvola, J. Methane (CH₄) release from littoral wetlands of Boreal lakes during an extended flooding period. *Global Change Biology* 9(3): 413-424.
- Kaitera, J. Susceptibility and lesion development in Scots pine saplings infected with *Peridermium pini* in northern Finland. *Forest Pathology* 33: 353-362.
- Kaitera, J. & Nuorteva, H. *Cronartium flaccidum* produces uredinia and telia on *Melampyrum nemorosum* and on Finnish *Vincetoxicum hircundinaria*. *Forest Pathology* 33: 205-213.
- Kaitera, J. & Nuorteva, H. Relative susceptibility of four *Melampyrum* species to *Cronartium flaccidum*. *Scandinavian Journal of Forest Research* 18: 499-504.
- Kang, K.-S., Bila, A.D., Harju, A.M. & Lindgren, D. Estimation of fertility variation in forest tree populations. *Forestry* 76(3): 329-344.
- Kangas, J., Kurttila, M., Kajanus, M. & Kangas, A. Evaluating the management strategies of a forestland estate - the S-O-S approach. *Journal of Environmental Management* 69: 349-358.
- Kangas, J. & Store, R. Internet and teledemocracy in participatory planning of natural resources management. *Landscape and Urban Planning* 62: 89-101.
- Karjalainen, T., Pussinen, A., Liski, J., Nabuurs, G.J., Eggers, T., Lapveteläinen, T. & Kaipainen, T. Scenario analysis of the impacts of forest management and climate change on the European forest sector carbon budget. *Forest Policy and Economics* 5(2): 143-157.
- Karnosky, D.F. et al. (31 authors, from Metla Anttonen, S. & Vapaavuori, E.). Tropospheric O₃ moderates responses of temperate hardwood forests to elevated CO₂: a synthesis of molecular to ecosystem results from the Aspen FACE project. *Functional Ecology* 17(3): 289-304.
- Kaunisto, S. & Pietiläinen, P. Peat nitrogen status and its effect on the nutrition and growth of Scots pine (*Pinus sylvestris* L.) on a afforested mire. *Baltic Forestry* 9(1): 33-42.
- Kaunisto, S. & Sarjala, T. Foliar potassium concentrations of bilberry, bog bilberry and downy birch as indicators of potassium nutrition of Scots pine on a drained peatland. *Silva Fennica* 37(3): 325-332.
- Kenter, B., Coch, T., Köhl, M., Löfstrand, R. & Tuominen, S. A multitemporal analysis of habitat suitability. *Julkaisussa: Corona, P., Köhl, M. & Marchetti, M. (eds.). Advances in forest inventory for sustainable forest management and biodiversity*

- monitoring. *Forestry Sciences* 76. Kluwer Academic Publishers. s. 205-220.
- Kiikkilä, O. Heavy-metal pollution and remediation of forest soil around the Harjavalta Cu-Ni smelter, in SW Finland. *Silva Fennica* 37(3): 399-415.
- Kivimäenpää, M., Sutinen, S., Karlsson, P.E. & Selldén, G. Cell structural changes in the needles of Norway spruce exposed to long-term ozone and drought. *Annals of Botany* 92: 773-793.
- Konttinen, K., Rikala, R. & Luoranen, J. Timing and duration of short-day treatment of *Picea abies* seedlings. *Baltic Forestry* 9(2): 2-9.
- Krebs, C.J. et al. (20 authors, from Metla Roininen, H. Terrestrial trophic dynamics in the Canadian Arctic. *Canadian Journal of Zoology* 81: 827-843.
- Kukkola, E.M., Koutaniemi, S., Gustafsson, M., Karhunen, P., Ruel, K., Lundell, T.K., Saranpää, P., Brunow, G., Teeri, T.H. & Fagerstedt, K.V. Localization of dibenzodioxocin substructures in lignifying Norway spruce xylem by transmission electron microscopy-immunogold labeling. *Planta* 217: 229-237.
- Kull, O., Tulva, I. & Vapaavuori, E. Influence of elevated CO₂ and O₃ on *Betula pendula* crown structure. *Annals of Botany* 91: 559-569.
- Kurttila, M. & Pukkala, T. Combining holding-level economic goals with spatial landscape-level goals in the planning of multiple ownership forestry. *Landscape Ecology* 18(5): 529-541.
- Kärenlampi, P.P. & Riekkinen, M. Prediction of the heartwood content of pine logs. *Wood and Fiber Science* 35(1): 83-89.
- Kärnä, J., Hansen, E. & Juslin, H. Environmental activity and forest certification of forest products - A case study in Europe. *Silva Fennica* 37(2): 253-267.
- Kärnä, J., Hansen, E. & Juslin, J. Social responsibility in environmental marketing. *European Journal of Marketing* 37(5/6): 848-871.
- Laakkonen, J. Effect of arboreal activity on species composition and abundance estimates of rodents in a chaparral habitat in southern California. *American Midland Naturalist* 150: 348-351.
- Laakkonen, J., Fisher, R.N. & Case, T.J. Factors influencing the variation in capture rates of shrews in southern California, USA. *Acta Theriologica* 48(2): 157-166.
- Laakkonen, J., Fisher, R.N. & Case, T.J. Microparasite assemblage of conspecific shrew populations in southern California. *Journal of Parasitology* 89(6): 1153-1158.
- Laakkonen, J., Goodman, S.M., Duchemin, J.-B. & Duplantier, J.-M. Trypomastigotes and potential flea vectors of the endemic rodents and the introduced *Rattus rattus* in the rainforests of Madagascar. *Biodiversity and Conservation* 12(8): 1775-1783.
- Laiho, R., Sanchez, F., Tiarks, A., Dougherty, P. & Trettin, C. Impacts of intensive forestry on early rotation trends in site carbon pools in the Southeastern US. *Forest Ecology and Management* 174: 177-189.
- Laiho, R., Vasander, H., Penttilä, T. & Laine, J. Dynamics of plant-mediated organic matter and nutrient cycling following water-level drawdown in boreal peatlands. *Global Biogeochemical Cycles* 17(2), 1053, doi: 10.1029/2002GB002015. 11 s.
- Landeweert, R., Veenman, C., Kuyper, T.W., Fritze, H., Wernars, K. & Smit, E. Quantification of ectomycorrhizal mycelium in soil by real-time PCR compared to conventional quantification techniques. *FEMS Microbiology Ecology* 45(3): 283-292.
- Larmola, T., Alm, J., Juutinen, S., Martikainen, P.J. & Silvola, J. Ecosystem CO₂ exchange and plant biomass in the littoral zone of a boreal eutrophic lake. *Freshwater Biology* 48(8): 1295-1310.
- Leskinen, P., Kangas, J. & Pasanen, A.-M. Assessing ecological values with dependent explanatory variables in multi-criteria forest ecosystem management. *Ecological Modelling* 170: 1-12.
- Li, C., Viherä-Aarnio, A., Puhakainen, T., Junttila, O., Heino, P. & Palva, E.T. Ecotype-dependent control of growth, dormancy and freezing tolerance under seasonal changes in *Betula pendula* Roth. *Trees* 17: 127-132.
- Liikanen, A., Huttunen, J.T., Murtoniemi, T., Tanskanen, H., Väisänen, T., Silvola, J., Alm, J. & Martikainen, P.J. Spatial and seasonal variation in greenhouse

- gas and nutrient dynamics and their interactions in the sediments of boreal eutrophic lake. *Biogeochemistry* 65: 83-103.
- Liikanen, A., Ratilainen, E., Saarnio, S., Alm, J., Martikainen, P.J. & Silvola, J. Greenhouse gas dynamics in boreal, littoral sediments under raised CO₂ and nitrogen supply. *Freshwater Biology* 48(3): 500-511.
- Linden, M. & Leppänen, J. Effects of public financed aid on private forest investments: some evidence from Finland, 1963-2000. *Scandinavian Journal of Forest Research* 18: 560-567.
- Linden, M. & Leppänen, J. The impact of government investment assistance on forest investment and timber supply. *Julkaisussa: Helles, F. et al. (eds.). Recent accomplishments in applied forest economics research. Forestry Sciences 74. Kluwer Academic Publishers. s. 167-179.*
- van der Linden, S., Virtanen, T., Oberman, N. & Kuhry, P. Sensitivity analysis of the discharge in the Arctic Usa basin, East-European Russia. *Climatic Change* 57(1): 139-161.
- Lindroos, A.-J., Brügger, T., Derome, J. & Derome, K. The weathering of mineral soil by natural soil solutions. *Water, Air, and Soil Pollution* 149: 269-279.
- Loukola-Ruskeenniemi, K., Kantola, M., Halonen, T., Seppänen, K., Henttonen, P., Kallio, E., Kurki, P. & Savolainen, H. Mercury-bearing black shales and human Hg intake in eastern Finland: impact and mechanisms. *Environmental Geology* 43(3): 283-297.
- Luomala, E.-M., Laitinen, K., Kellomäki, S. & Vapaavuori, E. Variable photosynthetic acclimation in consecutive cohorts of Scots pine during three years of growth at elevated CO₂ and elevated temperature. *Plant, Cell and Environment* 26: 645-660.
- Luoranen, J., Rikala, R. & Smolander, H. Root egress and field performance of actively growing *Betula pendula* container seedlings. *Scandinavian Journal of Forest Research* 18(2): 133-144.
- Luyssaert, S., Mertens, J. & Raitio, H. Support, shape and number of replicate samples for tree foliage analysis. *Journal of Environmental Monitoring* 5: 500-504.
- Löfstrand, R., Folving, S., Kennedy, P., Puumalainen, J., Coch, T., Kenter, B., Köhl, M., Lämås, T., Petersson, H., Tuominen, S. & Wencatasawmy, C. Habitat characterization and mapping for umbrella species - An integrated approach using satellite and field data. *Julkaisussa: Corona, P., Köhl, M. & Marchetti, M. (eds.). Advances in forest inventory for sustainable forest management and biodiversity monitoring. Forestry Sciences 76. Kluwer Academic Publishers. s. 191-204.*
- Malinen, J., Maltamo, M. & Verkasalo, E. Predicting the internal quality and value of Norway spruce trees by using two non-parametric nearest neighbor methods. *Forest Products Journal* 53(4): 85-94.
- Malmivaara-Lämsä, M. & Fritze, H. Effect of wear and above ground forest site type characteristics on the soil microbial community structure in an urban setting. *Plant and Soil* 256: 187-203.
- Marjamaa, K., Lehtonen, M., Lundell, T., Toikka, M., Saranpää, P. & Fagerstedt, K.V. Developmental lignification and seasonal variation in β-glucosidase and peroxidase activities in xylem of Scots pine, Norway spruce and silver birch. *Tree Physiology* 23: 977-986.
- Martz, F., Kiviniemi, S., Heino, P., Palva, T. & Sutinen, M.-L. Genetic control of fatty acid desaturation during cold acclimation and de-acclimation of birch. *Julkaisussa: Tainio, K.K. (ed.). XXVI International Horticultural Congress: Environmental Stress and Horticulture Crops. Acta Horticulturae 618: 137-146.*
- Masera, O.M., Garza-Caligaris, J.F., Kanninen, M., Karjalainen, T., Liski, J., Nabuurs, G.J., Pussinen, A., de Jong, B.H.J. & Mohren, G.M.J. Modeling carbon sequestration in afforestation, agroforestry and forest management projects: the CO₂fix V.2 approach. *Ecological Modelling* 164: 177-199.
- Matala, J., Hynynen, J., Miina, J., Ojansuu, R., Peltola, H., Sievänen, R., Väisänen, H. & Kellomäki, S. Comparison of a physiological model and a statistical model for prediction of growth and yield in boreal forests. *Ecological Modelling* 161(1-2): 95-116.
- Mazhitova, G.G., Kazakov, V.G., Lopatin, E.V. & Virtanen, T. Geographic Information System and soil carbon estimates for the Usa Basin, Komi Republic. *Eurasian Soil Science* 36(2): 123-135.

- McCarrol, D., Jalkanen, R., Hicks, S., Tuovinen, M., Gagen, M., Pawellek, F., Eckstein, D., Schmitt, U., Autio, J. & Heikkinen, O. Multiproxy dendroclimatology: a pilot study in northern Finland. *The Holocene* 13(6): 829-838.
- Mielikäinen, K. & Hynynen, J. Silvicultural management in maintaining biodiversity and resistance of forests in Europe - boreal zone: case Finland. *Julkaisussa: Parviainen, J. (ed.). Special Issue: Maintaining forest biodiversity. Journal of Environmental Management* 67(1): 47-54.
- Mäkelä, A. & Mäkinen, H. Generating 3D sawlogs with a process-based growth model. *Forest Ecology and Management* 184: 337- 354.
- Mäkinen, H. & Mäkelä, A. Predicting basal area of Scots pine branches. *Forest Ecology and Management* 179: 351-362.
- Mäkinen, H., Nöjd, P., Kahle, H.-P., Neumann, U., Tveite, B., Mielikäinen, K., Röhle, H. & Spiecker, H. Large-scale climatic variability and radial increment variation of *Picea abies* (L.) Karst. in central and northern Europe. *Trees* 17: 173-184.
- Mäkinen, H., Nöjd, P. & Saranpää, P. Seasonal changes in stem radius and production of new tracheids in Norway spruce. *Tree Physiology* 23(14): 959-968.
- Mäkinen, H., Ojansuu, R. & Niemistö, P. Predicting external branch characteristics of planted silver birch (*Betula pendula* Roth.) on the basis of routine stand and tree measurements. *Forest Science* 49: 301-317.
- Mäkinen, H., Ojansuu, R., Sairanen, P. & Yli-Kojola, H. Predicting branch characteristics of Norway spruce (*Picea abies* (L.) Karst.) from simple stand and tree measurements. *Forestry* 76(5): 525-546.
- Mäkipää, R. & Heikkinen, J. Large-scale changes in abundance of terricolous bryophytes and macrolichens in Finland. *Journal of Vegetation Science* 14: 497-508.
- Mäkisara, K., Haapanen, R. & Pekkarinen, A. Methods for locating regeneration cuttings without field observations using multitemporal Landsat TM images. *The Photogrammetric Journal of Finland* 18(2): 48-57.
- Möttönen, V., Asikainen, A., Malvaranta, P. & Öykkönen, M. Peroxide bleaching of parquet blocks and glue lams. *Holzforschung* 57(1): 75-80.
- Niemelä, M., Perämäki, P., Kola, H. & Piispanen, J. Determination of arsenic, iron and selenium in moss samples using hexapole collision cell, inductively coupled plasma-mass spectrometry. *Analytica Chimica Acta* 493(1): 3-12.
- Niemelä, M., Perämäki, P. & Piispanen, J. Microwave sample-digestion procedure for determination of arsenic in moss samples using electrothermal atom absorption spectrometry and inductively coupled plasma mass spectrometry. *Analytical and Bioanalytical Chemistry* 375: 673-678.
- Niemi, K., Häggman, H. & Sarjala, T. Ectomycorrhizal fungal species and strains differ in their ability to produce free and conjugated polyamines. *Mycorrhiza* 13: 283-287.
- Nieminen, M. Effects of clear-cutting and site preparation on water quality from a drained Scots pine mire in southern Finland. *Boreal Environmental Research* 8: 53-59.
- Nikinmaa, E., Messier, C., Sievänen, R., Perttunen, J. & Lehtonen, M. Shoot growth and crown development: effect of crown position in three-dimensional simulations. *Tree Physiology* 23(2): 129-136.
- Nikkanen, T. & Silander, V. Performance of exotic conifers in Finland. *Julkaisussa: Mill, R.R. (ed.). Conifers for the future? Proceedings of the fourth international conifer conference. Acta Horticulturae* 615: 387-390.
- Nilsson, M., Folving, S., Kennedy, P., Puumalainen, J., Chirici, G., Corona, P., Marchetti, M., Olsson, H., Ricotta, C., Ringvall, A., Ståhl, E. & Tomppo, E. Combining remote sensing and field data for deriving unbiased estimates of forest parameters over large regions. *Julkaisussa: Corona, P., Köhl, M. & Marchetti, M. (eds.). Advances in forest inventory for sustainable forest management and biodiversity monitoring. Forestry Sciences* 76. Kluwer Academic Publishers. s. 19-32.
- Nöjd, P. & Isango, J. Growth periodicity of *Pinus patula* in Southern Tanzania. *Journal of Tropical Forest Science* 15(1): 352-358.

- Palahí, M., Pukkala, T., Miina, J. & Montero, G. Individual-tree growth and mortality models for Scots pine (*Pinus sylvestris* L.) in north-east Spain. *Annals of Forest Science* 60(1): 1-10.
- Parantainen, A. & Pulkkinen, P. Flowering and airborne pollen occurrence in a *Pinus sylvestris* seed orchard consisting on northern clones. *Scandinavian Journal of Forest Research* 18: 111-117.
- Parviainen, J. (ed.). Special Issue: Maintaining forest biodiversity. *Journal of Environmental Management* 67(1):1-98.
- Parviainen, J. & Frank, G. Protected forests in Europe approaches - harmonising the definitions for international comparison and forest policy making. *Julkaisussa: Parviainen, J. (ed.). Special Issue: Maintaining forest biodiversity. Journal of Environmental Management* 67(1): 27-36.
- Pekkarinen, A. & Tuominen, S. Stratification of a forest area for multisource forest inventory by means of aerial photographs and image segmentation. *Julkaisussa: Corona, P., Köhl, M. & Marchetti, M. (eds.). Advances in forest inventory for sustainable forest management and biodiversity monitoring. Forestry Sciences* 76. Kluwer Academic Publishers. s. 111-123.
- Pelkonen, P., Tarvainen, K., Kallio, E., Hynninen, A., Henttonen, H., Palva, A., Vaheri, A. & Vapalahti, O. Generalised cowpox eruption - clinical, diagnostic and epidemiological aspects. *Emerging Infectious Diseases* 9: 1548-1561.
- Perkiömäki, J. & Fritze, H. Does simulated acid rain increase the leaching of cadmium from wood ash to toxic levels for coniferous forest humus microbes? *FEMS Microbiology Ecology* 44: 27-33.
- Perkiömäki, J., Kiikkilä, O., Moilanen, M., Issakainen, J., Tervahauta, A. & Fritze, H. Cadmium-containing wood ash in a pine forest: effects on humus microflora and cadmium concentrations in mushrooms, berries and needles. *Canadian Journal of Forest Research* 33: 2443-2451.
- Perkiömäki, J., Tom-Petersen, A., Nybroe, O. & Fritze, H. Boreal forest microbial community after long-term field exposure to acid and metal pollution and its potential remediation by using wood ash. *Soil Biology & Biochemistry* 35: 1517-1526.
- Petäistö, R.-L. & Heinonen, J. Conidial dispersal of *Gremmeniella abietina*: climatic and microclimatic factors. *Forest Pathology* 33(6): 353-373.
- Pietiläinen, P. & Moilanen, M. Effect of drainage intensity and fertilization on Scots pine stands growing on an oligotrophic tall sedge fen. *Baltic Forestry* 9(1): 22-32.
- Piispanen, R., Aronen, T., Chen, X., Saranpää, P. & Häggman, H. Silver birch (*Betula pendula*) plants with *aux* and *rol* genes show consistent changes in morphology, xylem structure and chemistry. *Tree Physiology* 23: 721-733.
- Piri, T. Early development of root rot in young Norway spruce planted on sites infected by *Heterobasidion* in southern Finland. *Canadian Journal of Forest Research* 33(4): 604-611.
- Pohjola, J., Kerkelä, L. & Mäkipää, R. Credited forest carbon sinks: how the cost reduction is allocated among countries and sectors. *Climate Policy* 3: 445-461.
- Priha, O. & Smolander, A. Short-term uptake of 15NH_4^+ into soil microbes and seedlings of pine, spruce and birch in potted soils. *Biology and Fertility of Soils* 37: 324-327.
- Prittinen, K., Pusenius, J., Koivunoro, K. & Roininen, H. Genotypic variation in growth and resistance to insect herbivory in silver birch (*Betula pendula*) seedlings. *Oecologia* 442: 572-577.
- Prittinen, K., Pusenius, J., Koivunoro, K., Rousi, M. & Roininen, H. Mortality in seedlings populations of Silver Birch: genotypic variation and herbivore effects. *Functional Ecology* 17: 658-663.
- Prozherina, N., Freiwald, V., Rousi, M. & Oksanen, E. Interactive effect of springtime frost and elevated ozone on early growth, foliar injuries and leaf structure of birch (*Betula pendula*). *New Phytologist* 159: 623-636.
- Pukkala, T., Ketonen, T. & Pykäläinen, J. Predicting timber harvests from private forests - a utility maximisation approach. *Forest Policy and Economics* 5: 285-296.
- Pusenius, J., Prittinen, K., Roininen, H. & Rousi, M. Effects of the availability of herbaceous

- food on vole attacks on birch seedlings. *Ecoscience* 10(2): 155-160.
- Rajaniemi, S., Tomppo, E., Ruokolainen, K. & Tuomisto, H. Estimating number of pteridophyte and Melastomataceae species from satellite images in Western Amazonian rain forest. *Julkaisussa: Corona, P. Köhl, M. & Marchetti, M. (eds.). Advances in forest inventory for sustainable forest management and biodiversity monitoring. Forest Sciences 76. Kluwer Academic Publishers. s. 57-64.*
- Rantala, J., Kiljunen, N. & Harstela, P. Effect of seedling production and long-distance transportation planning strategies on transportation costs of a nursery company. *International Journal of Forest Engineering* 14(2): 65-73.
- Rantala, J., Väätäinen, K., Kiljunen, N. & Harstela, P. Economic evaluation of container seedling packing and disinfection machinery. *Silva Fennica* 37(1): 121-127.
- Rautiainen, M., Stenberg, P., Nilson, T., Kuusk, A. & Smolander, H. Application of a forest reflectance model in estimating leaf area index of Scots pine stands using Landsat-7 ETM reflectance data. *Canadian Journal of Remote Sensing* 29(3): 314-323.
- Riikonen, J., Oksanen, E., Peltonen, P., Holopainen, T. & Vapaavuori, E. Seasonal variation in physiological characteristics of two silver birch clones in the field. *Canadian Journal of Forest Research* 33: 1772-1784.
- Roitto, M., Markkola, A.M., Julkunen-Tiitto, R., Sarjala, T., Rautio, P., Kuikka, K. & Tuomi, J. Defoliation-induced responses in peroxidases, phenolics, and polyamines in Scots pine (*Pinus sylvestris* L.) needles. *Journal of Chemical Ecology* 29(8): 1905-1918.
- Rossini Olivia, S. & Raitio, H. Review of cleaning techniques and their effects on the chemical composition of foliar samples. *Boreal Environment Research* 8(3): 263-272.
- Rossini Olivia, S., Raitio, H. & Mingorance, M.D. Comparison of two wet digestion procedures for multi-element analysis of plant samples. *Communications in Soil Science and Plant Analysis* 34(19&20): 2913-2923.
- Rummukainen, A., Kautto, K. & Tervo, L. Estimating the theoretical development potential of a boom-tip forest planting machine. *Baltic Forestry* 9(1): 81-86.
- Rusanen, M., Vakkari, P. & Blom, A. Genetic structure of *Acer platanoides* and *Betula pendula* in northern Europe. *Canadian Journal of Forest Research* 33: 1110-1115.
- Saarinen, J. Tourism and recreation as subjects of research in Finnish geographical journals. *Tourism Geographies* 5(2): 220-227.
- Saikkonen, K., Helander, M.L. & Rousi, M. Endophytic foliar fungi in *Betula* spp. and their F1 hybrids. *Forest Pathology* 33: 215-222.
- Saksa, T., Uuttera, J., Kolström, T., Lehtikoinen, M., Pekkarinen, A. & Sarvi, V. Clear-cut detection in boreal forest aided by remote sensing. *Scandinavian Journal of Forest Research* 18: 537-546.
- Salemaa, M. & Monni, S. Copper resistance of the evergreen dwarf shrub *Arctostaphylos uva-ursi*: an experimental exposure. *Environmental Pollution* 126: 435-443.
- Saranpää, P. Wood density and growth. *Julkaisussa: Barnett, J.R. & Jeronimidis, G. (eds.). Wood quality and its biological basis. Blackwell Publishing & CRC Press. Biological Sciences Series. s. 87-117.*
- Sarkkola, S., Alenius, V., Hökkä, H., Laiho, R., Päivänen, J. & Penttilä, T. Changes in structural inequality in Norway spruce stands on peatland sites after water-level drawdown. *Canadian Journal of Forest Research* 33(2): 222-231.
- Siira-Pietikäinen, A., Haimi, J. & Fritze, H. Organisms, decomposition, and growth of pine seedlings in boreal forest soil affected by sod cutting and trenching. *Biology and Fertility of Soils* 37: 163-174.
- Siira-Pietikäinen, A., Haimi, J. & Siitonen, J. Short-term responses of soil macroarthropod community to clear felling and alternative forest regeneration methods. *Forest Ecology and Management* 172: 339-353.
- Siitonen, J. Dead wood and saproxylic species in Fennoscandian boreal forests: threats, conservation and management. *Legno morto e species sapro-xiliche nelle foreste boreali*

- Scandinave: problematiche, conservazione e gestione. *Julkaisussa: Mason, F., Nardi, G. & Tisato, M. (eds.). Proceedings of the International Symposium "Dead wood: a key to biodiversity". Sherwood Foreste ed Albero Oggi 95 (Suppl.): 61-63.*
- Sirén, M. & Aaltio, H. Productivity and costs of thinning harvesters and harvester-forwarders. *International Journal of Forest Engineering 14(1): 39-48.*
- Sironen, S., Kangas, A., Maltamo, M. & Kangas, J. Estimating individual tree growth with nonparametric methods. *Canadian Journal of Forest Research 33: 444-449.*
- Solberg, B., Moisyev, A. & Kallio, A.M.I. Economic impacts of accelerating forest growth in Europe. *Forest Policy and Economics 5(2): 157-171.*
- Staelens, J., Nachtergale, L., Luysaert, S. & Lust, N. A model of wind-influenced leaf litterfall in a mixed hardwood forest. *Canadian Journal of Forest Research 33(2): 201-209.*
- Stark, S., Tuomi, J., Strömmer, R. & Helle, T. Non-parallel changes in soil microbial carbon and nitrogen dynamics due to reindeer grazing in northern boreal forests. *Ecography 26(1): 51-59.*
- Starr, M., Lindroos, A.-J., Ukonmaanaho, L., Tarvainen, T. & Tanskanen, H. Weathering release of heavy metals from soil in comparison to deposition, litterfall and leaching fluxes in a remote, boreal coniferous forest. *Applied Geochemistry 18(4): 607-613.*
- Stenberg, P., Nilson, T., Smolander, H. & Voipio, P. Gap fraction based estimation of LAI in Scots pine stands subjected to experimental removal of branches and stems. *Canadian Journal of Remote Sensing 29(3): 363-370.*
- Store, R. & Jokimäki, J. A GIS-based multi-scale approach to habitat suitability modeling. *Ecological Modelling 169: 1-15.*
- Suominen, K., Kitunen, V. & Smolander, A. Characteristics of dissolved organic matter and phenolic compounds in forest soils under silver birch (*Betula pendula*), Norway spruce (*Picea abies*) and Scots pine (*Pinus sylvestris*). *European Journal of Soil Science 54: 287-293.*
- Suorsa, P., Helle, H., Huhta, E., Jäntti, A., Nikula, A. & Hakkarainen, H. Forest fragmentation is associated with primary brood sex ratio in the treecreeper (*Certhia familiaris*). *Proceedings of the Royal Society of London. Series B. Biological Sciences 270: 2215-2222.*
- Suorsa, P., Huhta, E., Nikula, A., Nikinmaa, M., Jäntti, A., Helle, H. & Hakkarainen, H. Forest management is associated with physiological stress in an old-growth forest passerine. *Proceedings of the Royal Society of London. Series B. Biological Sciences 270: 963-969.*
- Theseira, M.A., Thomas, G., Taylor, J.C., Gemmell, F. & Varjo, J. Sensitivity of mixture modelling to end-member selection. *International Journal of Remote Sensing 24(7): 1559-1575.*
- Tiitta, M., Kainulainen, P., Harju, A.M., Venäläinen, M., Manninen, A.-M., Vuorinen, M. & Viitanen, H. Comparing the effect of chemical and physical electrical impedance on complex electrical impedance of Scots pine wood. *Holzforschung 57(4): 433-439.*
- Tikkanen, J., Leskinen, L. & Leskinen, P. Forestry organization network in northern Finland. *Scandinavian Journal of Forest Research 18: 547-559.*
- Tikkanen, O.-P., Rousi, M., Ylioja, T. & Roininen, H. No negative correlation between growth and resistance to multiple herbivory in a deciduous tree, *Betula pendula*. *Forest Ecology and Management 177: 587-592.*
- Tillman-Sutela, E., Hilli, A. & Kauppi, A. Germination changes of *Picea abies* at water-based pretreatments. *Julkaisussa: TeKrony, D.M. (ed.). Proceedings for IUFRO Tree Seed Symposium. Held at Athens, Georgia, August 10-14, 2003. Seed Technology 25(2): 168-182.*
- Tuomainen, A., Kangas, J. & Tervo, L. Application of Permethrin in forestry nurseries: residues in seedlings and exposure of workers. *Baltic Forestry 9(1): 75-80.*
- Tuominen, S., Fish, S. & Poso, S. Combining remote sensing, data from earlier inventories and geostatistical interpolation in multi-source forest inventory. *Canadian Journal of Forest Research 33(4): 624-634.*
- Tuomivirta, T.T. & Hantula, J. Gremmeniella abietina mitochondrial RNA virus S1 is phylogenetically related to the

members of the genus *Mitovirus*. Archives of Virology 148: 2429-2436.

Tuomivirta, T.T. & Hantula, J. Two unrelated double-stranded RNA molecule patterns in *Gremmeniella abietina* type A code for putative viruses of the families Totiviridae and Partitiviridae. Archives of Virology 148: 2293-2305.

Turtola, S., Manninen, A.-M., Rikala, R. & Kainulainen, P. Drought stress alters the concentration of wood terpenoids in Scots pine and Norway spruce seedlings. Journal of Chemical Ecology 29(9): 1981-1995.
Valkonen, S. & Ruuska, J. Effect of *Betula pendula* admixture on tree growth and branch diameter in young *Pinus sylvestris* stands in Southern Finland. Scandinavian Journal of Forest Research 18: 416- 426.

Vapalahti, O., Mustonen, J., Lundkvist, Å., Henttonen, H., Plyusnin, A. & Vaheri, A. Hantavirus infections in Europe. Lancet Infectious Diseases 3: 653-661.

Varhimo, A., Kojola, S., Penttilä, T. & Laiho, R. Quality and yield of pulpwood in drained peatland forests: pulpwood properties of Scots pine in stands of first commercial thinnings. Silva Fennica 37(3): 343- 357.

Venäläinen, M., Harju, A.M., Kainulainen, P., Viitanen, H. & Nikulainen, H. Variation in the decay resistance and its relationships with other wood characteristics in old Scots pines. Variation de la résistance à la pourriture et relation avec les

autres caractéristiques du bois dans les vieux pins sylvestres. Annals of Forest Science 60(5): 409-417.

Vervaeke, P., Luyssaert, S., Mertens, J., Meers, E., Tack, F.M.G. & Lust, N. Phytoremediation prospects of willow stands on contaminated sediment: a field trial. Environmental Pollution 126: 275-282.

Wall, A. & Heiskanen, J. Effect of air-filled porosity and organic matter concentration of soil on growth of *Picea abies* seedlings after transplanting. Scandinavian Journal of Forest Research 18(4): 344-350.

Wall, A. & Heiskanen, J. Water-retention characteristics and related physical properties of soil on afforested agricultural land in Finland. Forest Ecology and Management 186: 21-32.

Wang, Y., Buermann, W., Stenberg, P., Smolander, H., Häme, T., Tian, Y., Hu, J., Knyazikhin, Y. & Myneni, R.B. A new parametrization of canopy spectral responses to incident solar radiation: case study with hyperspectral data from pine dominant forest. Remote Sensing of Environment 85: 304-315.

Westman, C.-J. & Laiho, R. Nutrient dynamics of drained peatland forests. Biogeochemistry 63: 269-298.

Wickström, L.M., Haukialmi, V., Varis, S., Hantula, J., Fedorov, V.B. & Henttonen, H. Phylogeography of a circumpolar cestode species complex (Cestoda; Anoplocephalidae)

parasitizing collared lemmings (*Dicrostonyx* spp.). Molecular Ecology 12: 3359-3371.

Yamaji, K., Julkunen-Tiitto, R., Rousi, M., Freiwald, V. & Oksanen, E. Ozone exposure over two growing seasons alters root-to-shoot ratio and chemical composition of birch (*Betula pendula* Roth). Global Change Biology 9: 1363-1377.

Yu, Q. & Pulkkinen, P. Genotype-environment interaction and stability in growth of aspen hybrid clones. Forest Ecology and Management 173: 25-35.

Zhang, G., Ryyppö, A., Vapaavuori, E. & Repo, T. Quantification of additive response and stationarity of frost hardiness by photoperiod and temperature in Scots pine. Canadian Journal of Forest Research 33: 1772-1784.



KANSALLISET REFEROIDUT JULKAISUT



Annala, E., Niemelä, P. & Levula, T. Metson hakoamisesta eri tavoin lannoitetuissa männiköissä. Observations of winter feeding of capercaillie in fertilized Scots pine stands. Suomen Riista 49: 25-31.

Aro, L. & Kaunisto, S. Jatkolannoituksen ja kasvustiheyden vaikutus nuorten mäntymetsiköiden ravinnetilaan sekä puuston ja juuriston kehitykseen paksaturpeisella suonpohjalla. Effect of fertilisation and growing density on the nutrition, growth and root development of young Scots pine stands in a peat cutaway area with deep peat layers. Suo - Mires and Peat 54(2): 49-68. Hilli, A., Päätaalo, M.-L., Moilanen, M., Piironen, M.-L., Issakainen, J. & Tillman-Sutela, E. Verho- puuston tiheyden ja lannoituksen vaikutus kuusen taimien pituus- kasvuun ojitetulla turvemaalla. The effect of nurse crop density and fertilization on the height growth of Norway spruce seedlings on drained peatland. Suo- Mires and Peat 54(2): 69-79.

Hyppönen, M., Hallikainen, V., Aalto, T., Jalkanen, R., Mäkitalo, K. & Penttinen, H. Lapin lain mukainen metsänviljely - tilastotarkastelu. Metsätieteen aikakauskirja 1/2003: 15-30.

Hyppönen, M., Varmola, M., Juntunen, V., Lohi, T., Mikkola, K., Mäkitalo, K. & Timonen, M. Metsien uudistuminen suoja- metsäalueella. Metsätieteen aikakauskirja 1/2003: 31-45.

Hyvönen, P. & Korhonen, K.T. Metsävaratiedon jatkuva ajantasaistus yksityismetsissä. Metsätieteen aikakauskirja 2/2003: 83-96.

Hyytiäinen, K. Integrating economics and ecology in stand-level timber production. Metsäntutkimuslaitoksen tiedonantoja - The Finnish Forest Research Institute, Research Papers 908. 42 s. + 5 osajulkaisua. Väitöskirja.

Ihalainen, A. & Ahola, A. Pyry- ja Janika-myrskyjen aiheuttamat puuston tuhot. Metsätieteen aikakauskirja 3/2003: 385-401.

Ilavsky, J. Postavenie, priority a ciele lesnickeho vyskumu v zahranici a u nas (Position, priorities and targets of forest research abroad and at home). Julkaisussa: Konopka, J., Ilavsky, J. et al. (eds.). Hlavne smery a priority lesnickej vedy a vyskumu na Slovensku pri vstupe do 21. storocia (Main directions and priorities of forest science and research in Slovakia at the beginning of 21st century). Odbor lesnictva Slovenskej akademie podohos-podarskych vied. s. 12-24.

Juurola, M. & Karppinen, H. Sosiaalinen kestävyys ja metsien käyttö. Metsätieteen aikakauskirja 2/2003: 129-142.

Koivuniemi, J. Metsiköihin ja paikannettuihin koealoihin perustuva kuvioittaisen arvioinnin tarkkuus. The accuracy of the compartmentwise forest inven-

tory based on stands and located sample plots. Helsingin yliopiston metsävarojen käytön laitoksen julkaisuja 36. 160 s. Väitöskirja.

Konopka, J., Ilavsky, J. et al. (eds.). Hlavne smery a priority lesnickej vedy a vyskumu na Slovensku pri vstupe do 21. storocia (Main directions and priorities of forest science and research in Slovakia at the beginning of 21st century). Odbor lesnictva Slovenskej akademie podohos-podarskych vied. 200 s.

Kuokkanen, T.J., Närhi, J., Saukkoriipi, J., Vuoti, S., Vähäoja, S., Lauhanen, R. & Kolppanen, R. Metsäkoneiden hydraulikkaöljy-jen biohajoavuus maaperässä sekä niiden eräitä raskas- metallipitoisuuksia ja fyysikaalis- kemiallisia ominaisuuksia. Metsätieteen aikakauskirja 3/2003: 291-299.

Kärnä, J. Environmental marketing strategy and its implementation in forest industries. Helsingin yliopiston metsäekonomin laitoksen julkaisuja 11. 39 s. + 6 osajulkaisua. Väitöskirja.

Müller, M. Abundance, diversity and ecology of endophytic fungi in Norway spruce (*Picea abies*) needles. University of Joensuu, Faculty of Forestry, Research Notes 147. 44 s. + 5 osajulkaisua. Väitöskirja.

Nuutinen, T. & Hirvelä, H. Valtakunnan metsien 9.

inventointiin perustuvat hakkuumahdollisuusarviot vuosille 2001-2030 Kainuun metsäkeskuksen alueella. Metsätieteen aikakauskirja 2B/2003: 257-272.

Pensa, M. Variation in needle retention of Scots pine in relation to leaf morphology, nitrogen conservation and tree age. *Dissertationes Biologicae Universitatis Tartuensis* 77. 40 s. + 6 osajulkaisua. Väitöskirja. Pietiläinen, P. & Kaunisto, S. The effect of peat nitrogen concentration and fertilization on the foliar nitrogen concentration of Scots pine (*Pinus sylvestris* L.) in three temperature sum regions. *Suo - Mires and Peat* 54(1): 1-13.

Piri, T. Silvicultural control of Heterobasidion root rot in Norway spruce forests in southern Finland. Regeneration and vitality fertilization of infected stands. Metsäntutkimuslaitoksen tiedonantoja - The Finnish Forest Research Institute, Research Papers 898. 64 s. + 4 osajulkaisua. Väitöskirja.

Pääatalo, M.-L., Hilli, A., Moilanen, M. & Tillman-Sutela, E. Koivu-verhoppuuston tiheyden ja kuusialikasvoksen pituuden tasauksen vaikutus taimikon pituuskasvuun ojitusalueella. Impact of birch nurse crop density and height equalization of Norway spruce understorey on spruce seedlings' height growth on a drained peatland. *Suo - Mires and Peat* 54(3): 105-115.

Rantala, J., Rikala, R., Viitarinne, E. & Leinonen, T.A. Taimien matka taimitarhalta istutuskohteelle - kysely- ja haastattelututkimus. Metsätieteen aikakauskirja 4/2003: 417-427.

Saksa, T., Hynönen, T. & Makkonen, T. Nuorten paakkutaimilla viljeltyjen rauduskoivikoiden tila kivennäismaapelloilla. Metsätieteen aikakauskirja 1/2003: 3-13.

Salemaa, M. Response of the understorey vegetation of boreal forests to heavy metal loading. Metsäntutkimuslaitoksen tiedonantoja - The Finnish Forest Research Institute, Research Papers 905. 43 s. + 6 osajulkaisua. Väitöskirja.

Sievänen, T., Neuvonen, M. & Pouta, E. Veneilijöiden harrastajaprofiilit. *Liikunta ja Tiede* 5-6/20: 44-51.

Sievänen, T., Pouta, E. & Neuvonen, M. Suomalaisen ulkoilukäyttäjien alueelliset yhtäläisyydet ja erot. Regional similarities and differences in Finnish outdoor recreation behavior. *Terra* 115(4): 259-273.

Stöd, R., Sirén, M., Tantt, V. & Verkasalo, E. Jäävän puuston ja poistuman tekninen laatu ensiharvennusmänniköissä. Metsätieteen aikakauskirja 4/2003: 439-464.

Tomppo, E. & Joensuu, J. Hirvieläinten aiheuttamat metsätuhot Etelä-Suomessa Valtakunnan metsien 8. ja 9. inventoinnin mukaan. Metsätieteen aikakauskirja 4/2003: 507-535.

Tomppo, E., Tuomainen, T., Henttonen, H., Ihalainen, A. & Tonteri, T. Kainuun metsäkeskuksen alueen metsävarat 1969-2001. Metsätieteen aikakauskirja 2B/2003: 169-256.

Tuulentie, S. Naiset synnyttivät erävaelluksen traditioita. Vallan ja vastarinnan narratiivit Kaarina Karin kertomuksessa 1930-luvun Lapin matkoista. *Naistutkimus* 16(3): 4-18.

Uotila, E. Puoli vuosisataa tien-tekkoa metsänparannusvaroilla. Metsätieteen aikakauskirja 2/2003: 109-127.

Valkonen, S., Miettinen, A. & Ruuska, J. Onko koivu- ja haapasäästöpuiden vaikutus männyn taimikonkehitykseen erilainen kuin mäntysäästöpuiden? Metsätieteen aikakauskirja 4/2003: 487-494.

Ylimartimo, M. & Heikkilä, J. Taimikonhoitotöiden koneellistamiskelpoisuus. Metsätieteen aikakauskirja 4/2003: 429-437.

