

# SILVA FENNICA

## Vol. 36, 2002 **contents**

### No. 1

#### **Special issue on Disturbance Dynamics in Boreal Forests**

---

##### **Introduction**

Timo Kuuluvainen: Disturbance dynamics in boreal forests: defining the ecological basis of restoration and management of biodiversity. 5–12

##### **Review articles**

Kevin C. Ryan: Dynamic interactions between forest structure and fire behavior in boreal ecosystems. 13–39

Andrei Gromtsev: Natural disturbance dynamics in the boreal forests of European Russia: a review. 41–55

Lars Edenius, Margareta Bergman, Göran Ericsson & Kjell Danell: The role of moose as a disturbance factor in managed boreal forests. 57–67

Anders Dahlberg: Effects of fire on ectomycorrhizal fungi in Fennoscandian boreal forests. 69–80

Yves Bergeron, Alain Leduc, Brian D. Harvey & Sylvie Gauthier: Natural fire regime: a guide for sustainable management of the Canadian boreal forest. 81–95

Timo Kuuluvainen: Natural variability of forests as a reference for restoring and managing biological diversity in boreal Fennoscandia. 97–125

##### **Research articles**

Seppo Rouvinen, Timo Kuuluvainen & Juha Siitonen: Tree mortality in a *Pinus sylvestris* dominated boreal forest landscape in Vienansalo wilderness, eastern Fennoscandia. 127–145

Leena Karjalainen & Timo Kuuluvainen: Amount and diversity of coarse woody debris within a boreal forest landscape dominated by *Pinus sylvestris* in Vienansalo wilderness, eastern Fennoscandia. 147–167

Timo Kuuluvainen, Juha Mäki, Leena Karjalainen & Hannu Lehtonen: Tree age distributions in old-growth forest sites in Vienansalo wilderness, eastern Fennoscandia. 169–184

Tuomo Wallenius, Timo Kuuluvainen, Raimo Heikkilä & Tapio Lindholm: Spatial tree age structure and fire history in two old-growth forests in eastern Fennoscandia. 185–199

Tuomo Wallenius: Forest age distribution and traces of past fires in a natural boreal landscape dominated by *Picea abies*. 201–211

- Juho Pennanen: Forest age distribution under mixed-severity fire regimes – a simulation-based analysis for middle boreal Fennoscandia. 213–231
- Christopher P. Quine, Jonathan W. Humphrey, Karen Purdy & Duncan Ray: An approach to predicting the potential forest composition and disturbance regime for a highly modified landscape: a pilot study of Strathdon in the Scottish Highlands. 233–247
- Karen A. Harper, Yves Bergeron, Sylvie Gauthier & Pierre Drapeau: Post-fire development of canopy structure and composition in black spruce forests of Abitibi, Québec: a landscape scale study. 249–263
- Tero Kokkila, Annikki Mäkelä & Eero Nikinmaa: A method for generating stand structures using Gibbs marked point process. 265–277
- Timo Pakkala, Ilkka Hanski & Erkki Tomppo: Spatial ecology of the three-toed woodpecker in managed forest landscapes. 279–288
- Brett G. Purdy, S. Ellen Macdonald & Mark R.T. Dale: The regeneration niche of white spruce following fire in the mixedwood boreal forest. 289–306
- Sybille Haeussler, Lorne Bedford, Alain Leduc, Yves Bergeron & J. Marty Kranabetter: Silvicultural disturbance severity and plant communities of the southern Canadian boreal forest. 307–327
- Philip J. Burton: Effects of clearcut edges on trees in the sub-boreal spruce zone of Northwest-Central British Columbia. 329–352
- Sonia Légaré, Yves Bergeron & David Paré: Influence of forest composition on understory cover in boreal mixedwood forests of western Quebec. 353–366
- Minna Malmivaara, Irja Löfström & Ilkka Vanha-Majamaa: Anthropogenic effects on understorey vegetation in *Myrtillus* type urban forests in southern Finland. 367–381

### Research notes

- Heikki Kauhanen: Occurrence of fires in the eastern Saariselkä area, north-west Russia. 383–392

### Discussion papers

- Anke Jentsch, Carl Beierkuhnlein & Peter S. White: Scale, the dynamic stability of forest ecosystems, and the persistence of biodiversity. 393–400
- S.C. DeLong: Using nature's template to best advantage in the Canadian boreal forest. 401–408
- Timo Kuuluvainen, Kaisu Aapala, Petri Ahlroth, Mikko Kuusinen, Tapio Lindholm, Tapani Sallantausta, Juha Siitonen & Harri Tukia: Principles of ecological restoration of boreal forested ecosystems: Finland as an example. 409–422
- Matti Koivula & Jari Niemelä: Boreal carabid beetles (Coleoptera, Carabidae) in managed spruce forests – a summary of Finnish case studies. 423–436

## No. 2

---

**From the Editor** 450
**Research articles**

Timo Kurkela: Crown condition as an indicator of the incidence of root rot caused by *Heterobasidion annosum* in Scots pine stands. 451–457

Seppo Nevalainen: The incidence of *Gremmeniella abietina* in relation to topography in southern Finland. 459–473

Martti Venäläinen & Seppo Ruotsalainen: Procedure for managing large-scale progeny test data: a case study of Scots pine in Finland. 475–487

Finn H. Brække & Nagwa Salih: Reliability of foliar analyses of Norway spruce stands in a Nordic gradient. 489–504

Azim U. Mallik, F. Wayne Bell & Yanli Gong: Effectiveness of delayed brush cutting and herbicide treatments for vegetation control in a seven-year-old jack pine plantation in northwestern Ontario, Canada. 505–519

Håkan Lindström: Intra-tree models of juvenile wood in Norway spruce as an input to simulation software. 521–534

Maarten Nieuwenhuis: The development and validation of pre-harvest inventory methodologies for timber procurement in Ireland. 535–547

Perttu Anttila: Updating stand level inventory data applying growth models and visual interpretation of aerial photographs. 549–560

Pete Bettinger, David Graetz, Kevin Boston, John Sessions & Woodam Chung: Eight heuristic planning techniques applied to three increasingly difficult wildlife planning problems. 561–584

**Review articles**

Teijo Palander, Mari Toivonen & Sanna Laukkanen: GroupWare and group decision support systems for wood procurement organisation. A review. 585–600

**Reviewers of manuscripts 2001** 601

## No. 3

**Special issue on Optimality Approach in Plant Ecology****Introduction**

Annikki Mäkelä, Thomas J. Givnish, Frank Berninger, Thomas N. Buckley, Graham D. Farquhar & Pertti Hari: Challenges and opportunities of the optimality approach in plant ecology. 605–614

**Research articles**

Tuula Aalto, Pertti Hari & Timo Vesala: Comparison of an optimal stomatal regulation model and a biochemical model in explaining CO<sub>2</sub> exchange in field conditions. 615–623

Graham D. Farquhar, Thomas N. Buckley & Jeffrey M. Miller: Optimal stomatal control in relation to leaf area and nitrogen content. 625–637

Thomas N. Buckley, Jeffrey M. Miller & Graham D. Farquhar: The mathematics of linked optimisation for water and nitrogen use in a canopy. 639–669

Pedro J. Aphalo, Anna W. Schoettle & Tarja Lehto: Leaf life span and the mobility of non-mobile mineral nutrients – the case of boron in conifers. 671–680

Anna Liisa Ruotsalainen, Juha Tuomi & Henry Väre: A model for optimal mycorrhizal colonization along altitudinal gradients. 681–694

#### Research notes

Ilkka Leinonen & Heikki Hänninen: Adaptation of the timing of bud burst of Norway spruce to temperate and boreal climates. 695–701

#### Review articles

Thomas J. Givnish: Adaptive significance of evergreen vs. deciduous leaves: solving the triple paradox. 703–743

#### Discussion papers

Ian Cowan: Fit, fitter, fittest; where does optimisation fit in? 745–754

## No. 4

---

#### Research articles

Mats Hannerz, Curt Almqvist & Roland Hörnfeldt: Timing of seed dispersal in *Pinus sylvestris* stands in central Sweden. 757–765

Magnus Lindén & Gudmund Vollbrecht: Sensitivity of *Picea abies* to butt rot in pure stands and in mixed stands with *Pinus sylvestris* in southern Sweden. 767–778

Rüdiger Grote: Foliage and branch biomass estimation of coniferous and deciduous tree species. 779–788

Gordon Nigh: Site index conversion equations for mixed trembling aspen and white spruce stands in northern British Columbia. 789–797

Annika Kangas & Matti Maltamo: Anticipating the variance of predicted stand volume and timber assortments with respect to stand characteristics and field measurements. 799–811

Heli Peltola, Jari Miina, Ismo Rouvinen & Seppo Kellomäki: Effect of early thinning on the diameter growth distribution along the stem of Scots pine. 813–825

Timo Pukkala, Jari Miina & Marc Palahí: Thinning response and thinning bias in a young Scots pine stand. 827–840

Thomas Knoke: Value of complete information on red heartwood formation in beech (*Fagus sylvatica*). 841–851

Matleena Kniivilä & Olli Saastamoinen: The opportunity costs of forest conservation in a local economy. 853–865

#### Discussion papers

Jyrki Kangas & Ron Store: Socioecological landscape planning: an approach to multi-functional forest management. 867–871